



SHELVING for LIFE®

When we say Shelving for Life, we mean it. All Camshelving® storage systems are designed to withstand the toughest conditions and the harshest environments. With our lifetime warranty against rust and corrosion, only Cambro offers SHELVING for LIFE™.



Cambro storage and transportation products that support safe food handling.



COMPONENT

Products that meet the NSF International criteria for sanitation and cleanability.



Products that help meet HACCP guidelines.



Fit for food products



Dishwasher Safe



Cadmium-free products



Recyclable polypropylene



Antimicrobial protection permanently molded into shelf plates to inhibit the growth of mold, fungus and bacteria.

Camshelving® is covered under the following U.S. Patents:

D498,664 S, D508,646 S, D512,867 S, D623,929 S, D624,764 S, D648,582 S, D630,935 S, D648,159 S, D651,433 S, D648,160 S, D697,391 S, D727,715 S, D728,347 S, D728,348 S, D707,994 S, D739,989 S, D663,912 S, D736,488 S, D739,989 S, D760,519 S, D841, 273 S, D828, 145 S, D827, 421 S US 6,981,454B2

CAMSHELVING®


SHELVING for LIFE®

KEY FEATURES OF ALL CAMSHELVING SERIES



Rust and Corrosion Free

Backed by a lifetime warranty against rust and corrosion. All Camshelving is impervious to harsh chemicals and salt water.



All Environments


Camshelving is designed to withstand all extreme storage applications and temperatures.

- Coolers
- Freezers
- Dry Storage
- Utility


Maximized Space Utilization

Shelving units are designed to be interconnected, without compromising weight-bearing capacity, all while maximizing usable storage space.

Starter Unit



Starter + Add-On Unit



PREMIUM[®] series ELEMENTS[®] XTRA series BASICS[®] PLUS series



Easy to Clean


Camshelving easily wipes clean or shelf plates can go through the dishwasher. Camguard[®] antimicrobial shelf plates inhibit the growth of harmful bacteria and microbes.




Easy to Assemble & Adjust

Units ship with preassembled frames to speed up installation. Each shelf can be easily and independently adjusted.


Corner Unit
Starter + Add-On Unit



U-Shape Unit
Two Starter Units +
Intermediate Shelves



T-Shape Unit
Starter unit + Add-on Unit



Bottom Shelf
Dunnage Stands

Convert unusable space into continuous, easy-access storage areas with corner connectors. ●
Corner connectors are for use only with shelves 24" - 48" long.

CAMSHELVING® SERIES BUYERS GUIDE

All Camshelving lines offer a lifetime warranty against rust and corrosion for shelf plates, posts and traverses.



	PREMIUM® series	ELEMENTS XTRA® series	BASICS® PLUS series
Shelf Depths	14", 18", 21", 24"	14", 18", 21", 24"	18", 21", 24"
Shelf Lengths	24", 30", 36", 42", 48", 54", 60", 72"	24", 30", 36", 42", 48", 54", 60", 72"	30", 36", 42", 48", 54", 60"
Post Heights	Stationary: 32", 56", 64", 72", 84" Mobile: 35", 59", 67", 75" (includes casters)	Stationary: 30", 64", 72", 84" Mobile: 70¼", 78¼" (includes casters)	Stationary: 64", 72", 84"
Weight-Bearing Capacity (based on 24"- 48" length)	Stationary Unit: 800 lbs. per shelf, 2000 lbs. per unit. Mobile Unit: 750 lbs. per unit. Corner Unit: 400 lbs. per shelf, 1800 lbs. per unit.	Stationary Unit: 800 lbs. per shelf, 2400 lbs. per unit. Mobile Unit: 750 lbs. per unit. Corner Unit: 800 lbs. per shelf, 2400 lbs. per unit.	Stationary Unit: 600 lbs. per shelf, 1800 lbs. per unit. Corner Unit: 300 lbs. per shelf, 1350 lbs. per unit.
Shelf Plates with Camguard® antimicrobial.	Interchangeable with Elements Series.	Interchangeable with Premium Series.	Not interchangeable with Premium or Elements XTRA Series.
Mobility	Available in Mobile and High Density Storage System.	Available in Mobile and High Density Storage System.	Not available.
Assembly	Quickest and easiest to assemble due to molded-in dovetails.	Simple to assemble. Contains separate dovetails that must be attached to the post.	Simple to assemble. Contains separate dovetails that must be attached to the post.
ACCESSORIES			
Bottom Shelf Dunnage Stand	✓	✓	✓
Shelf Rails	✓	✓	✓
Vertical Drying and Storage Cradle (Trays / Cutting Boards / Lids)	✓	✓	✓
Dome Drying and Storage Cradle	✓	✓	✓
Angled Drying and Storage Cradle	✓	✓	✓
Ultimate #10 Can Rack	✓	✓	
Shelf Divider Panel	✓	✓	✓
Shelf Divider Bar (for Food Pans or Food Boxes)	✓	✓	
Single Shelf Sheet Pan/Tray Rack	✓	✓	✓
Single Shelf Security Cage	✓	✓	✓
Full Wrap Security Cage	✓		
Pegboard and Hooks	✓	✓	✓


FREE CAMSHELVING® DESIGN SERVICE



Take the guesswork out of creating your perfect shelving layout. Let our expert shelving consultants prepare a free layout that optimizes your space to create the most storage options.

Here's what you'll get:


- 2D Floor Plan
- 3D Floor Plan
- Itemized product list by room/area
- All within 48 business-day hours



It's Simple! To Get Started, Please Provide:

- Project Name
- Storage Room Type (freezer / cooler)
- Room(s) Dimensions (L x W x H)
- Doorway / Entryway Location & Dimension
- Obstructions (condenser / pipes)
- Additional Preferences / Requirements


Click Here to
**request a FREE
3D shelving layout**




Email shelving@cambro.com or
call TOLL FREE (877) 737-0663

CAMSHELVING® SERIES OVERALL LENGTH – QUICK REFERENCE GUIDE


Straight Unit: Starter Unit + Add-On Unit with Shared Posts



Corner Unit: Starter Unit + Add-On Unit with Corner Connectors



U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors



Number of Shelves Per Unit

STATIONARY POST HEIGHT	MOBILE POST HEIGHT	MAXIMUM SHELVES PER UNIT*
30"	—	5
—	27¼"	3
32"	35"	6
56"	59"	12
64"	67" or 70¼"	14
72"	75" or 78¼"	16
84"	—	19

*Based on 4" spacing.

Straight Unit: Starter Unit + Add-On Unit with Shared Posts

PREMIUM / BASICS PLUS SERIES

STARTER UNIT ACTUAL LENGTH		ADD-ON UNIT ACTUAL LENGTH		OVERALL LENGTH
24"	+	22¼"	=	46¼"
30"	+	28¼"	=	58¼"
36"	+	34¼"	=	70¼"
42"	+	40¼"	=	82¼"
48"	+	46¼"	=	94¼"
54"	+	52¼"	=	106¼"
60"	+	58¼"	=	118¼"
72"	+	70¼"	=	142¼"

24" and 72" are not available in Camshelving Basics Plus Series.

ELEMENTS XTRA SERIES

STARTER UNIT ACTUAL LENGTH		ADD-ON UNIT ACTUAL LENGTH		OVERALL LENGTH
24"	+	22"	=	46"
30"	+	28"	=	58"
36"	+	34"	=	70"
42"	+	40"	=	82"
48"	+	46"	=	94"
54"	+	52"	=	106"
60"	+	58"	=	118"
72"	+	70"	=	142"

Corner Unit: Starter Unit + Add-On Unit with Corner Connectors

PREMIUM / ELEMENTS XTRA / BASICS PLUS SERIES

ADD-ON UNIT	ADD-ON UNIT ACTUAL LENGTH		18" STARTER UNIT DEPTH		OVERALL LENGTH
24"	23"	+	18"***	=	41"
30"	29"	+	18"*	=	47"
36"	35"	+	18"*	=	53"
42"	41"	+	18"*	=	59"
48"	47"	+	18"*	=	65"
54"	53"	+	18"	=	71"
60"	59"	+	18"	=	77"

24" unit not available in Camshelving Basics Plus Series.

*Elements XTRA Series only **Actual depth.

PREMIUM / ELEMENTS XTRA / BASICS PLUS SERIES

ADD-ON UNIT ACTUAL LENGTH		21" STARTER UNIT DEPTH		OVERALL LENGTH
23"	+	21"***	=	44"
29"	+	21"	=	50"
35"	+	21"	=	56"
41"	+	21"	=	62"
47"	+	21"	=	68"
53"	+	21"	=	74"
59"	+	21"	=	80"

PREMIUM / ELEMENTS XTRA / BASICS PLUS SERIES

ADD-ON UNIT ACTUAL LENGTH		24" STARTER UNIT DEPTH		OVERALL LENGTH
23"	+	24"***	=	47"
29"	+	24"	=	53"
35"	+	24"	=	59"
41"	+	24"	=	65"
47"	+	24"	=	71"
53"	+	24"	=	77"
59"	+	24"	=	83"

U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors

PREMIUM / ELEMENTS XTRA / BASICS PLUS SERIES

INTERMEDIATE SHELF	INTERMEDIATE SHELF ACTUAL LENGTH		18" DEPTH STARTER UNIT A+B		OVERALL LENGTH
36"	34"	+	36"*	=	70"
42"	40"	+	36"*	=	76"
48"	46"	+	36"*	=	82"
54"*	52"	+	36"	=	88"
60"*	58"	+	36"	=	94"

*Elements XTRA Series only **Actual depth.

*Actual depth.

PREMIUM / ELEMENTS XTRA / BASICS PLUS SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		21" DEPTH STARTER UNIT A+B		OVERALL LENGTH
34"	+	42"*	=	76"
40"	+	42"*	=	82"
46"	+	42"*	=	88"
52"	+	42"	=	94"
60"	+	42"	=	102"


PREMIUM / ELEMENTS XTRA / BASICS PLUS SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		24" DEPTH STARTER UNIT A+B		OVERALL LENGTH
34"	+	48"*	=	82"
40"	+	48"*	=	88"
46"	+	48"*	=	94"
52"	+	48"	=	100"
60"	+	48"	=	108"

CAMSHELVING PREMIUM[®] series

STATIONARY | MOBILE | HIGH DENSITY

- Posts and traverses have a steel core and smooth polypropylene exterior for superior strength and durability.
- Traverse dovetails are molded into posts every 4".
- Polypropylene shelf plates with permanent, molded-in Camguard[®], an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -36°F to 190°F.
- Lifetime warranty against rust and corrosion.



camguard
ANTIMICROBIAL SHELF PLATES



COMPONENT



Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Full Wrap Security Cage, Single Shelf Security Cage, Ultimate #10 Can Rack, Shelf Rails, Shelf Divider Bars, High Density Track and Extension Kits are not NSF Listed.

CAMSHELVING PREMIUM® SERIES

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.

*Units ship in separate post kit (unassembled) and shelf kit cartons due to overall weight.

**Sold Separately as shelf kits & post kits only.

Stationary Unit Sizes


4 Depths		8 Lengths			5 Heights		
14"***	18"	24"	30"	36"	32"	56"	64"
21"	24"	42"	48"	54"	72"	84"*	
		60"	72"*				

Standard Mobile

3 Depths			3 Lengths			4 Heights		
18"	21"	24"	36"	42"	48"	35"	59"	67"
						75"		

High Density Mobile

3 Depths			5 Lengths			2 Heights	
18"*	21"	24"	36"	42"	48"	67"	75"
			54"	60"			



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 24" – 48"	UNIT LENGTH 54" – 72"
SINGLE UNIT	Unit only	2,000 lbs.	2,000 lbs.
	Shelf only	800	600
	Unit with dunnage stand*	2,400	2,300
	Bottom shelf with dunnage stand*	1,200	900
CORNER UNIT*** With 2 Dunnage Stands required	Unit only	1,800	—
	Shelf only	400	—
	Bottom shelf with dunnage stands*	600	—
MOBILE UNIT	Unit only**	900	—

*Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 54" and longer, all Corner Units, U-Shape Units and units specified for heavier loads.

**Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 900 lbs.

***Corner connectors are for use only with shelves 24" - 48" long.



PREMIUM
SERIES

V4

4-SHELF VENTED UNITS



64"
HEIGHT

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter

Add-On

18"
DEPTH



DIMENSIONS D x L x H	CODE	LIST PRICE EA.
18" x 24" x 64"	CPU182464V4	\$ 670.00
18" x 30" x 64"	CPU183064V4	760.00
18" x 36" x 64"	CPU183664V4	810.00
18" x 42" x 64"	CPU184264V4	905.00
18" x 48" x 64"	CPU184864V4	940.00
18" x 54" x 64"	CPU185464V4	1,040.00
18" x 60" x 64"	CPU186064V4	1,100.00
18" x 72" x 64"	CPU187264V4PKG	1,235.00

DIMENSIONS D x L x H	CODE	LIST PRICE EA.
18" x 24" x 64"	CPA182464V4	\$ 520.00
18" x 30" x 64"	CPA183064V4	610.00
18" x 36" x 64"	CPA183664V4	655.00
18" x 42" x 64"	CPA184264V4	755.00
18" x 48" x 64"	CPA184864V4	790.00
18" x 54" x 64"	CPA185464V4	885.00
18" x 60" x 64"	CPA186064V4	950.00
18" x 72" x 64"	CPA187264V4PKG	1,080.00

PKG units ship same as 84" units.

21"
DEPTH

21" x 24" x 64"	CPU212464V4	\$ 725.00
21" x 30" x 64"	CPU213064V4	820.00
21" x 36" x 64"	CPU213664V4	880.00
21" x 42" x 64"	CPU214264V4	990.00
21" x 48" x 64"	CPU214864V4	1,035.00
21" x 54" x 64"	CPU215464V4	1,140.00
21" x 60" x 64"	CPU216064V4	1,220.00
21" x 72" x 64"	CPU217264V4PKG	1,370.00

21" x 24" x 64"	CPA212464V4	\$ 570.00
21" x 30" x 64"	CPA213064V4	665.00
21" x 36" x 64"	CPA213664V4	730.00
21" x 42" x 64"	CPA214264V4	835.00
21" x 48" x 64"	CPA214864V4	880.00
21" x 54" x 64"	CPA215464V4	990.00
21" x 60" x 64"	CPA216064V4	1,065.00
21" x 72" x 64"	CPA217264V4PKG	1,220.00

PKG units ship same as 84" units.

24"
DEPTH

24" x 24" x 64"	CPU242464V4	\$ 735.00
24" x 30" x 64"	CPU243064V4	840.00
24" x 36" x 64"	CPU243664V4	905.00
24" x 42" x 64"	CPU244264V4	1,000.00
24" x 48" x 64"	CPU244864V4	1,070.00
24" x 54" x 64"	CPU245464V4	1,155.00
24" x 60" x 64"	CPU246064V4	1,230.00
24" x 72" x 64"	CPU247264V4PKG	1,390.00

24" x 24" x 64"	CPA242464V4	\$ 585.00
24" x 30" x 64"	CPA243064V4	680.00
24" x 36" x 64"	CPA243664V4	750.00
24" x 42" x 64"	CPA244264V4	845.00
24" x 48" x 64"	CPA244864V4	915.00
24" x 54" x 64"	CPA245464V4	1,000.00
24" x 60" x 64"	CPA246064V4	1,070.00
24" x 72" x 64"	CPA247264V4PKG	1,240.00

PKG units ship same as 84" units.

PREMIUM
SERIES

V4



4-SHELF VENTED UNITS

72"
HEIGHT

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter

Add-On



DIMENSIONS D x L x H	CODE	LIST PRICE EA.
18" x 24" x 72"	CPU182472V4	\$ 675.00
18" x 30" x 72"	CPU183072V4	765.00
18" x 36" x 72"	CPU183672V4	815.00
18" x 42" x 72"	CPU184272V4	910.00
18" x 48" x 72"	CPU184872V4	945.00
18" x 54" x 72"	CPU185472V4	1,050.00
18" x 60" x 72"	CPU186072V4	1,110.00
18" x 72" x 72"	CPU187272V4PKG	1,240.00

DIMENSIONS D x L x H	CODE	LIST PRICE EA.
18" x 24" x 72"	CPA182472V4	\$ 525.00
18" x 30" x 72"	CPA183072V4	610.00
18" x 36" x 72"	CPA183672V4	660.00
18" x 42" x 72"	CPA184272V4	760.00
18" x 48" x 72"	CPA184872V4	790.00
18" x 54" x 72"	CPA185472V4	890.00
18" x 60" x 72"	CPA186072V4	955.00
18" x 72" x 72"	CPA187272V4PKG	1,085.00

21" x 24" x 72"	CPU212472V4	\$ 730.00
21" x 30" x 72"	CPU213072V4	825.00
21" x 36" x 72"	CPU213672V4	885.00
21" x 42" x 72"	CPU214272V4	995.00
21" x 48" x 72"	CPU214872V4	1,040.00
21" x 54" x 72"	CPU215472V4	1,145.00
21" x 60" x 72"	CPU216072V4	1,230.00
21" x 72" x 72"	CPU217272V4PKG	1,375.00

21" x 24" x 72"	CPA212472V4	\$ 580.00
21" x 30" x 72"	CPA213072V4	670.00
21" x 36" x 72"	CPA213672V4	730.00
21" x 42" x 72"	CPA214272V4	840.00
21" x 48" x 72"	CPA214872V4	885.00
21" x 54" x 72"	CPA215472V4	995.00
21" x 60" x 72"	CPA216072V4	1,070.00
21" x 72" x 72"	CPA217272V4PKG	1,220.00

24" x 24" x 72"	CPU242472V4	\$ 740.00
24" x 30" x 72"	CPU243072V4	845.00
24" x 36" x 72"	CPU243672V4	910.00
24" x 42" x 72"	CPU244272V4	1,005.00
24" x 48" x 72"	CPU244872V4	1,075.00
24" x 54" x 72"	CPU245472V4	1,175.00
24" x 60" x 72"	CPU246072V4	1,240.00
24" x 72" x 72"	CPU247272V4PKG	1,395.00

24" x 24" x 72"	CPA242472V4	\$ 590.00
24" x 30" x 72"	CPA243072V4	680.00
24" x 36" x 72"	CPA243672V4	755.00
24" x 42" x 72"	CPA244272V4	850.00
24" x 48" x 72"	CPA244872V4	915.00
24" x 54" x 72"	CPA245472V4	1,005.00
24" x 60" x 72"	CPA246072V4	1,075.00
24" x 72" x 72"	CPA247272V4PKG	1,240.00

Color: Speckled Gray (480).

PREMIUM
SERIES


84"
HEIGHT

V5PKG

5-SHELF VENTED UNITS

Due to the unit weight, 84" units ship in separate boxes. Starter units include 2 post kits and 1 box of shelves. Add on units include 1 post kit and 1 box of shelves. Post kits require assembly.

Starter



18"
DEPTH

DIMENSIONS D x L x H
18" x 24" x 84"
18" x 30" x 84"
18" x 36" x 84"
18" x 42" x 84"
18" x 48" x 84"
18" x 54" x 84"
18" x 60" x 84"
18" x 72" x 84"

21"
DEPTH


21" x 24" x 84"
21" x 30" x 84"
21" x 36" x 84"
21" x 42" x 84"
21" x 48" x 84"
21" x 54" x 84"
21" x 60" x 84"
21" x 72" x 84"

24"
DEPTH

24" x 24" x 84"
24" x 30" x 84"
24" x 36" x 84"
24" x 42" x 84"
24" x 48" x 84"
24" x 54" x 84"
24" x 60" x 84"
24" x 72" x 84"

CODE	LIST PRICE EA.
CPU182484V5PKG	\$ 815.00
CPU183084V5PKG	930.00
CPU183684V5PKG	990.00
CPU184284V5PKG	1,110.00
CPU184884V5PKG	1,145.00
CPU185484V5PKG	1,270.00
CPU186084V5PKG	1,360.00
CPU187284V5PKG	1,525.00

Add-On



CODE	LIST PRICE EA.
CPA182484V5PKG	\$ 645.00
CPA183084V5PKG	750.00
CPA183684V5PKG	810.00
CPA184284V5PKG	935.00
CPA184884V5PKG	975.00
CPA185484V5PKG	1,095.00
CPA186084V5PKG	1,185.00
CPA187284V5PKG	1,350.00

CPA212484V5PKG	\$ 695.00
CPA213084V5PKG	820.00
CPA213684V5PKG	900.00
CPA214284V5PKG	1,035.00
CPA214884V5PKG	1,085.00
CPA215484V5PKG	1,230.00
CPA216084V5PKG	1,315.00
CPA217284V5PKG	1,510.00


CPA242484V5PKG	\$ 715.00
CPA243084V5PKG	840.00
CPA243684V5PKG	920.00
CPA244284V5PKG	1,050.00
CPA244884V5PKG	1,125.00
CPA245484V5PKG	1,245.00
CPA246084V5PKG	1,330.00
CPA247284V5PKG	1,530.00

PREMIUM
SERIES

V4

4-SHELF VENTED MOBILE UNITS

Mobile starter units include 2 factory assembled mobile post kits, shelves and 4 premium swivel casters with total locking brake. Units ship complete in 1 box.



67"
HEIGHT

18"
DEPTH

21"
DEPTH

24"
DEPTH

75"
HEIGHT

18"
DEPTH

21"
DEPTH

24"
DEPTH

CODE	DIMENSIONS D x L x H*	LIST PRICE EA.
CPMU183667V4	18" x 36" x 67"	\$ 1,195.00
CPMU184267V4	18" x 42" x 67"	1,295.00
CPMU184867V4	18" x 48" x 67"	1,330.00

CPMU213667V4	21" x 36" x 67"	\$ 1,265.00
CPMU214267V4	21" x 42" x 67"	1,380.00
CPMU214867V4	21" x 48" x 67"	1,425.00

CPMU243667V4	24" x 36" x 67"	\$ 1,295.00
CPMU244267V4	24" x 42" x 67"	1,390.00
CPMU244867V4	24" x 48" x 67"	1,450.00

CODE	DIMENSIONS D x L x H*	LIST PRICE EA.
CPMU183675V4	18" x 36" x 75"	\$ 1,200.00
CPMU184275V4	18" x 42" x 75"	1,300.00
CPMU184875V4	18" x 48" x 75"	1,335.00


CPMU213675V4	21" x 36" x 75"	\$ 1,270.00
CPMU214275V4	21" x 42" x 75"	1,385.00
CPMU214875V4	21" x 48" x 75"	1,430.00

CPMU243675V4	24" x 36" x 75"	\$ 1,300.00
CPMU244275V4	24" x 42" x 75"	1,395.00
CPMU244875V4	24" x 48" x 75"	1,455.00

CAMSHELVING PREMIUM® SERIES

Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.



CODE	DESCRIPTION	LIST PRICE EA.
CPCC1	1 Set for 1 shelf	\$ 7.30
CPCC8	8 Sets for 4 shelves	58.00
CPCC10	10 Sets for 5 shelves	72.50

Color: Speckled Gray (480).

Bottom Shelf Dunnage Stands


Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 54" and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

Bottom Shelf with Dunnage Stand

UNIT LENGTH	WEIGHT BEARING
Standard Unit	
24"- 48"	1,200 lbs.
54"- 72"	900
Corner Unit with 2 Dunnage Stands	
24"- 48"	600

CODE	DIMENSIONS D x H	LIST PRICE EA.
Dunnage Stand - Low		
CSDS14H6	14" x 6½"	\$ 69.00
CSDS18H6	18" x 6½"	71.25
CSDS21H6	21" x 6½"	73.00
CSDS24H6	24" x 6½"	74.75
Dunnage Stand - Tall		
CSDS14H10	14" x 10½"	\$ 75.25
CSDS18H10	18" x 10½"	77.50
CSDS21H10	21" x 10½"	79.25
CSDS24H10	24" x 10½"	81.00

Case Pack: 1 Color: Speckled Gray (480).



Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf.

LENGTH	SINGLE PACK CODE*	LIST PRICE EA.	DOUBLE PACK CODE**	LIST PRICE EA.
24"	CPTR24	\$ 42.10	CPTR242PK	\$ 73.75
30"	CPTR30	45.50	CPTR302PK	79.75
36"	CPTR36	49.55	CPTR362PK	86.75
42"	CPTR42	53.00	CPTR422PK	94.75
48"	CPTR48	57.75	CPTR482PK	103.25
54"	CPTR54	62.75	CPTR542PK	112.00
60"	CPTR60	67.75	CPTR602PK	120.50
72"	CPTR72	73.75	—	—

*Case Pack: 1 **Case Pack: 2 Color: Speckled Gray (480).



HIGH DENSITY STORAGE FLOOR TRACK SYSTEM

Maximize storage capacity by creating storage aisles in all available space. This simple system is composed of stationary starter units anchored to a raised floor track system at both ends with high density mobile units installed in between. Easy to install track requires no drilling or gluing.

Increases Storage
Capacity Up To

50%

High Density Mobile Units are available with factory assembled post kits, vented or solid shelves and high density casters and bumpers. Full track and extension kits ship complete with required hardware. Stationary Starter Units are required to anchor the system at both ends. Choose from a wide selection of sizes with 4 or 5 shelves to maximize storage space. (see Premium Series spec pages).



Stationary Unit*

High Density Mobile Units

Stationary Unit

Raised Floor Track provides a smooth and level surface to easily roll mobile units. Raised track ensures dirt will not get trapped and is easy to clean. Aluminum track and stainless steel hardware are rust resistant.


*It is recommended to use a stationary unit for every 15' of track to further stabilize the system.



Grooved casters roll easily and securely on raised track.




Raised track connects easily to the bottom of a stationary unit that works as a system anchor. No bolts, no glue or drilling into the floor are required. Easy and fast set up.



4-SHELF VENTED HIGH DENSITY MOBILE UNITS

Units include 2 factory assembled mobile post kits, 4 shelves, 4 high density casters and 4 high density bumpers. Units ship complete in 1 box.



67"
HEIGHT

21"
DEPTH

24"
DEPTH

75"
HEIGHT

21"
DEPTH

24"
DEPTH


CODE	DIMENSIONS D x L x H*	LIST PRICE EA.
CPHU213667V4	21" x 36" x 67"	\$ 1,295.00
CPHU214267V4	21" x 42" x 67"	1,410.00
CPHU214867V4	21" x 48" x 67"	1,445.00
CPHU215467V4	21" x 54" x 67"	1,560.00
CPHU216067V4	21" x 60" x 67"	1,635.00

CPHU243667V4	24" x 36" x 67"	\$ 1,315.00
CPHU244267V4	24" x 42" x 67"	1,420.00
CPHU244867V4	24" x 48" x 67"	1,490.00
CPHU245467V4	24" x 54" x 67"	1,575.00
CPHU246067V4	24" x 60" x 67"	1,645.00

CODE	DIMENSIONS D x L x H*	LIST PRICE EA.
CPHU213675V4	21" x 36" x 75"	\$ 1,305.00
CPHU214275V4	21" x 42" x 75"	1,415.00
CPHU214875V4	21" x 48" x 75"	1,450.00
CPHU215475V4	21" x 54" x 75"	1,565.00
CPHU216075V4	21" x 60" x 75"	1,645.00

CPHU243675V4	24" x 36" x 75"	\$ 1,325.00
CPHU244275V4	24" x 42" x 75"	1,425.00
CPHU244875V4	24" x 48" x 75"	1,495.00
CPHU245475V4	24" x 54" x 75"	1,585.00
CPHU246075V4	24" x 60" x 75"	1,655.00

4-SHELF SOLID HIGH DENSITY MOBILE UNITS



CODE	DIMENSIONS D x L x H*	LIST PRICE EA.
CPHU213667S4	21" x 36" x 67"	\$ 1,325.00
CPHU214267S4	21" x 42" x 67"	1,440.00
CPHU214867S4	21" x 48" x 67"	1,495.00
CPHU215467S4	21" x 54" x 67"	1,605.00
CPHU216067S4	21" x 60" x 67"	1,685.00

CPHU243667S4	24" x 36" x 67"	\$ 1,365.00
CPHU244267S4	24" x 42" x 67"	1,455.00
CPHU244867S4	24" x 48" x 67"	1,540.00
CPHU245467S4	24" x 54" x 67"	1,635.00
CPHU246067S4	24" x 60" x 67"	1,710.00

CODE	DIMENSIONS D x L x H*	LIST PRICE EA.
CPHU213675S4	21" x 36" x 75"	\$ 1,330.00
CPHU214275S4	21" x 42" x 75"	1,445.00
CPHU214875S4	21" x 48" x 75"	1,500.00
CPHU215475S4	21" x 54" x 75"	1,615.00
CPHU216075S4	21" x 60" x 75"	1,690.00

CPHU243675S4	24" x 36" x 75"	\$ 1,370.00
CPHU244275S4	24" x 42" x 75"	1,465.00
CPHU244875S4	24" x 48" x 75"	1,545.00
CPHU245475S4	24" x 54" x 75"	1,645.00
CPHU246075S4	24" x 60" x 75"	1,715.00

Full Track and Extension Kits

Aluminum raised track kits and track extensions ship complete in 1 box. Each kit includes all stainless steel hardware necessary to complete a floor installation.



It is highly recommended to install a stationary starter unit every 15' of track to further stabilize the system.

CODE	DESCRIPTION	CASE PACK	LIST PRICE EA.
Full Track Kit			
CSMHDTK10	10' Track for 3 Mobile Units*	1	\$ 835.00
CSMHDTK12	12' Track for 4 Mobile Units*	1	965.00
CSMHDTK145	14.5' Track for 5 Mobile Units*	1	1,080.00
Track Extension Kit			
CSMHDTKE4	4.5' Track Extension	1	314.00
CSMHDTKE5	5' Track Extension	1	336.00
CSMHDTKE6	6' Track Extension	1	402.00

Color: Silver (000). *Based on 24" deep mobile units.

High Density Caster with Donut Bumper



CODE	SIZE	LIST PRICE EA.
CPMCHD	5"	\$ 72.50
Case Pack: 2 Color: Gray (000).		



