

From the time the food is prepped to the moment it reaches the customer's doorstep, every second counts. Speed is important, but keeping the food fresh and out of the danger zone is imperative to every successful delivery, take-out and curbside pick-up operation. Cambro GoBags' high-density insulation keeps temperature in the safe zone during both holding and transport to the customer, whether it's picked up curbside or delivered to their door.

CAMBRO® PIZZA DELIVERY GOBAGS®

Guarantee a hot, crispy pizza delivery with a Pizza GoBag, protected by dense, high-quality insulation. With a Cambro Pizza Bag you can change your delivery game, with bag personalization available to maximize the value.

Standard Pizza GoBags are constructed with 600-denier polyester fabric

Premium Pizza GoBags are constructed with 900-denier nylon fabric, Made in USA





- Thick, sturdy nylon fabric.
- 🔈 Breathable nylon material protects food quality.
- 🔈 High-density insulation keeps food hot.
- Heavy-duty, sewn-in straps and ticket pouch.

Premium Pizza Bags



GBPP212

Carries two 12"pizza boxes L 12½" x W 13¾" x H 6½"

LIST PRICE EACH: \$ 204.00

Case Pack: 1

Colors: Black (110), Red (521).



Carries two 14" pizza boxes L 14½" x W 15¼" x H 7½"

LIST PRICE EACH: \$ 204.00

Case Pack: 1

Colors: Black (110), Red (521).

Find the Perfect Pizza GoBag!

Click here



GBPP216

Carries two 16" or three 14" pizza boxes

L 17½" x W 17½" x H 7½"

LIST PRICE EACH: \$ 204.00

Case Pack: 1

Colors: Black (110), Red (521).



GBPP218

Carries two 18" pizza boxes L 191/4" x W 191/2" x H 81/4"

LIST PRICE EACH: \$ 204.00

Case Pack: 1

Colors: Black (110), Red (521).



Carries three 18" or four 16" pizza boxes

L 20" x W 20" x H 7½"

LIST PRICE EACH: \$ 60.00

Case Pack: 4

Colors: Black (110), Red (521).



GBPP318

Carries three 18" or four 16" pizza boxes

L 19" x **W** 20" x **H** 9"

LIST PRICE EACH: \$ 215.00

Case Pack: 1

Colors: Black (110), Red (521).



GBPP518

Carries five 18" pizza boxes L 19" x W 191/4" x H 12" LIST PRICE EACH: \$215.00

Case Pack: 1

Colors: Black (110), Red (521).



Standard Pizza Bags

GBP220

GBP216

Carries two 16" or three

L 18" x W 18" x H 6½"

LIST PRICE EACH: \$ 47.85

Colors: Black (110), Red (521).

14" pizza boxes

Case Pack: 4

Carries two 20" or three 18" pizza boxes

L 213/4" x W 213/4" x H 61/2"

LIST PRICE EACH: \$77.75

Case Pack: 4

Colors: Black (110), Red (521).



GBP518

Carries five 18" or six 16" pizza boxes L 19½" x W 19½" x H 12½"

LIST PRICE EACH: \$83.75

Case Pack: 4 Color: Black (110).



GBPP1018

Carries ten 18" pizza boxes L 181/2" x W 19" x H 23"

LIST PRICE EACH: \$215.00

Case Pack: 1

Colors: Black (110), Red (521).



Carries ten 18" pizza boxes

L 19" x W 19" x H 23"

LIST PRICE EACH: \$ 149.75

Case Pack: 4 Color: Black (110)



CAMBRO® CATERING AND DELIVERY BAGS

GoBags® for delivery help protect the signature items your customers crave. Your recipes, your quality, and your brand are delivered to your customers safe and sound. Add a heat transfer design to your bag to promote your brand image to the customer.



CAMBRO® GOBAGS®— CATERING BAGS



Thick, sturdy nylon fabric.

High-density insulation keeps food hot.

Heavy-duty, sewn-in straps and ticket pouch.



Find the best fit for your to-go containers.

Click here



GBD101011

Small Folding Delivery Bag

L 10" x W 10" x H 11"

LIST PRICE EACH: \$ 72.00

Case Pack: 4 Color: Black (110).



GBD121515

Medium Folding Delivery Bag

L 12" x W 15" x H 15"

LIST PRICE EACH: \$ 101.75

Case Pack: 4 Color: Black (110).



Large Folding Delivery Bag

L 21" x W 14" x H 17"

LIST PRICE EACH: \$ 131.50

Case Pack: 4 Color: Black (110).





GBD211414

Large Delivery Bag includes vertical, thermal divider

L 21" x W 14" x H 14"

LIST PRICE EACH: \$ 131.50

Case Pack: 4 Color: Black (110).



Comes with structured bottom and divider panel.



GBD13913

Small Top Loading Delivery Bag

L 13" x W 9" x H 13"

LIST PRICE EACH: \$89.75

Case Pack: 4

Color: Black (110), Red (521).



GBD151212

Sandwich Bag

L 15" x **W** 12" x **H** 12"

LIST PRICE EACH: \$ 95.75

Case Pack: 4

Color: Black (110), Red (521).



GBD181412

Jumbo Delivery Bag

L 18" x W 14" x H 12"

LIST PRICE EACH: \$ 107.75

Case Pack: 4

Color: Black (110), Red (521).



GBD211517

Stadium Delivery Bag

L 21" x W 15" x H 17"

LIST PRICE EACH: \$ 156.00

Case Pack: 4

Color: Black (110), Red (521).

CAMBRO® GOBAGS® ACCESSORIES AND PERSONALIZATION



Thermal Pads



GBTPSM

Thermal Pad Small

L 10" x W 14½"

LIST PRICE EACH: \$ 44.30

Case Pack: 1 Color: Black (110).

GBTPMD

Thermal Pad Medium

L 14" x W 20½"

LIST PRICE EACH: \$46.70

Case Pack: 1 Color: Black (110).

GBTPLG

Thermal Pad Large

L 15½" x W 21½"

LIST PRICE EACH: \$ 50.25

Case Pack: 1 Color: Black (110).

Frames and Liners



GBFSM

GoBag Frame Small

L 13" x **W** 10" x **H** 9"

LIST PRICE EACH: \$ 63.50

Case Pack: 1 Color: (000).

GBLSM

GoBag Liner Small fits GBD13913

L 13½" x W 9½" x H 75"

LIST PRICE EACH: \$ 117.25

Case Pack: 1 Color: Clear (CLR).

GBFMD

GoBag Frame Medium

L 13" x **W** 9" x **H** 13"

LIST PRICE EACH: \$77.75

Case Pack: 1 Color: (000).

GBLMD

GoBag Liner Medium fits GBD13913

L 14" x W 9½" x H 12½"

LIST PRICE EACH: \$ 120.50

Case Pack: 1 Color: Clear (CLR).

GBFLG

GoBag Frame Large

L 18" x W 14" x H 12"

LIST PRICE EACH: \$ 117.25

Case Pack: 1 Color: (000).

GBLLG

GoBag Liner Large fits GBD181412

L 20½" x W 14" x H 11"

LIST PRICE EACH: \$ 130.25

Case Pack: 1 Color: Clear (CLR).



CAMBRO® GOBAGS®— BACKPACKS




- High-density insulation maintains safe temperature and food quality.
- Folds for compact storage.

Easy to clean.

Side-mounted straps for comfortable hand carrying.



Reflector tape enhances visibility and safety.









2 buckles and hook and loop fastener keep backpack securely closed.

GBBP111417

Small Cambro GoBag Backpack

L 11" x **W** 14" x **H** 17"

LIST PRICE EACH: \$ 180.00

Case Pack: 4 Color: Black (110).

GBBP151417

Large Cambro GoBag Backpack

L 15" x **W** 14" x **H** 17"

LIST PRICE EACH: \$ 191.00

Case Pack: 4 Color: Black (110).

Padded shoulder straps adjust to fit all comfortably.



Adjustable, plastic chest buckle holds backpack in place.







3 EASY STEPS







CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS - TOP LOADERS

LINE YOUR CAM GOBOX

A Cambro GN Food Pan and Seal Cover or liner are recommended to keep your Cam GoBox clean and sanitary.



ERGONOMIC HANDLES

Comfortable handles allow easy and



OPTIONAL INSERT KIT

For an additional cold boost, use with optional Camchiller Insert Kit. Built-in cut-outs support cold transfer while protecting food from condensation.



safe lifting of the EPP180LHSW GoBox.



EASY LOADING AND UNLOADING Interior wall recesses make loading and unloading easy for both GN $1/\bar{1}$ as well as 1/2 pans. Straight interior

walls allow room for stacking pans

inside carrier.

STACKABILITY

Cam GoBoxes inter-stack.



TEMPERATURE RETENTION

4+ hours















Use colored lids for quick content identification or routing.

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS — FRONT LOADERS

4-SIDED HANDLING

Thoughtfully designed built-in handles along the top of front loading models allow them to be easily carried from all four sides.



DRIP-RESISTANT Built-in condensation barrier helps front loaders to remain drip-resistant.







FULL 270° ACCESS

Durable hinges and latches allow the door to open 270° and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.





GENTLE OPEN AND CLOSE

Beveled door edges ensure door can be easily closed and latched.

STACKABILITY

Cam GoBoxes inter-stack.

LARGE CAPACITY

Cam GoBox front loading carriers are designed with enough room to hold GN 1/1 pans along with Camwarmers® or Camchillers®, if desired.

TEMPERATURE RETENTION

4+ hours













CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS



For Half-Size (GN1/2) Food Pans



EPP260SW

Holds 1 each 6" deep food pan* **EXTERIOR: L** 15.4" x **W** 13" x **H** 10" INTERIOR: L 13" x W 10.6" x H 7.6"

UNIT WEIGHT: 1.37 lbs.

VOLUME: 17.9 qt.

LIST PRICE EACH: \$ 62.25

Case Pack: 1 Color: Black (110).



EPP280SW

Holds 1 each 8" deep food pan* **EXTERIOR:** L 15.4" x W 13" x H 12.4" INTERIOR: L 13" x W 10.6" x H 10"

UNIT WEIGHT: 1.54 lbs.

VOLUME: 23.6 qt.

LIST PRICE EACH: \$ 69.50

Case Pack: 1 Color: Black (110).



EPP280WSTSW

Holds 1 each 8" deep food pan* **EXTERIOR: L** 15.4" x **W** 13" x **H** 12.4" INTERIOR: L 13" x W 10.6" x H 10" UNIT WEIGHT: 1.8 lbs. **VOLUME: 23.6 qt.**

LIST PRICE EACH: \$ 79.00

Case Pack: 1 Color: Black (110).

For Full-Size (GN1/1) or Half-Size (GN1/2) Food Pans

EPP160SW

Holds 1 each 6" deep food pan* **EXTERIOR:** L 23.6" x W 15.7" x H 10" INTERIOR: L 21.2" x W 13.3" x H 7.7" UNIT WEIGHT: 2.4 lbs.

VOLUME: 37.5 qt.

LIST PRICE EACH: \$ 93.50

Case Pack: 1 Color: Black (110).



Holds 1 each 8" deep food pan*

EXTERIOR: L 23.6" x W 15.7" x H 12.4" INTERIOR: L 21.2" x W 13.3" x H 10"

UNIT WEIGHT: 2.6 lbs.

VOLUME: 48.6 qt.

LIST PRICE EACH: \$ 101.75

Case Pack: 1 Color: Black (110).



Holds 1 each 8" deep food pan* EXTERIOR: L 23.6" x W 15.7" x H 12.4"

INTERIOR: L 21.2" x W 13.3" x H 10"

UNIT WEIGHT: 2.9 lbs.

VOLUME: 45.44 qt.

LIST PRICE EACH: \$ 101.75

Case Pack: 1 Color: Black (110).



EPP180FLSW

Holds 1 each 8" deep food pan*

EXTERIOR: L 23.6" x **W** 15.7" x **H** 12.4" INTERIOR: L 21.2" x W 13.3" x H 10"

UNIT WEIGHT: 2.6 lbs. **VOLUME:** 48.6 qt.

LIST PRICE EACH: \$ 137.75

Case Pack: 1 Color: Black (110).



EPP180LHSW

Holds 1 each 8" deep food pan* **EXTERIOR: L** 26.8" x **W** 15.73" x **H** 12.6" INTERIOR: L 21.2" x W 13.9" x H 10"

UNIT WEIGHT: 2.6 lbs.

VOLUME: 48.6 qt.

LIST PRICE EACH: \$ 137.75

Case Pack: 1 Color: Black (110).





EPP180CLSW

Holds 1 each 8" deep food pan* **EXTERIOR: L** 23.6" x W 15.7" x H 12.4"

INTERIOR: L 21.2" x W 13.3" x H 10"

UNIT WEIGHT: 2.6 lbs.

VOLUME: 48.6 qt.

LIST PRICE EACH: \$ 113.00

Case Pack: 1 Carrier Color: Black (110). Lid Colors: Red (365), Blue (362).



Holds 1 each 8" deep food pan* **EXTERIOR: L** 24" x **W** 17" x **H** 15.4"

INTERIOR: L 21.6" x W 14.5" x H 12.6"

UNIT WEIGHT: 3.2 lbs. VOLUME: 68.2 qt.

LIST PRICE EACH: \$ 119.50

Case Pack: 1 Color: Black (110).



EPP300

Holds 3 each 4" deep food pans* **EXTERIOR: L** 25.2" x W 17.3" x H 18.7" INTERIOR: L 21" x W 13" x H 14.6"

UNIT WEIGHT: 7 lbs.

VOLUME: 63.4 qt.

LIST PRICE EACH: \$ 350.00

Case Pack: 1 Color: Black (110).



Holds 4 each 4" deep food pans* EXTERIOR: L 25.2" x W 17.3" x H 24.6" INTERIOR: L 21" x W 13" x H 20.7" UNIT WEIGHT: 8.6 lbs.

VOLUME: 90.9 qt.

LIST PRICE EACH: \$398.00

Case Pack: 1 Color: Black (110).

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

For Meal Trays

Ideal for:

- · Relief Agencies.
- Central Kitchens.
- · Summer or After School Meal Programs.

MAINTAINS HOT OR COLD **TEMPERATURES FOR** 4 hours

Use hot or cold packs to extend holding time beyond 4 hours.



EPPMTSW

Holds meal trays

EXTERIOR: L 20.5" x W 16.2" x H 12.6"

INTERIOR: L 18" x W 13.8" x H 10"

LIST PRICE EACH: \$89.75

Case Pack: 1 Color: Black (110).

Tray Sizes and Capacity

COTAL TRAY

Tray Size: 6½" x 8½" x 1½" 4 tiers of 6 trays.



6½" x 8½" x 2" 4 tiers of 4 trays.



2 tiers of 6 trays $-6\frac{1}{2}$ " x $8\frac{1}{2}$ " x $1\frac{1}{2}$ " 2 tiers of 4 trays $-6\frac{1}{2}$ " x $8\frac{1}{2}$ " x 2"

For Milk Crates

- Holds a 13" x 13" x 11" (33 x 33 x 28 cm) milk crate with up to 70 half pints of milk.
- · Easy to clean and dishwasher safe.
- 100% recyclable.
- Made from durable CFC-free expanded polypropylene.
- · Features a convenient, adjustable web strap.

TEMPERATURE RETENTION 4+ hours















CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

Beverage Holder

Modular beverage holder for transporting hot or cold drinks with ease. Interlocking units connect to hold up to 15 drinks in an EPP180. Holds 8 to 32 oz. hot or cold cups.









CODE	DESCRPTION	CAPACITY	PRICE EA.
EPPBEVH2	set of 2 holders	6	15.55
EPPBEVH5	set of 5 holders	15	38.90

Exterior Dim.: L 4.5" x W 12.8" x H 4.9"
Case Pack: 1 Color: Black (110).

GOBOX CODE	NUMBER Of Drinks	NUMBER OF HOLDERS
EPP180	15 (single layer*) 30 (double layer**)	5 (single) 10 (double)
EPP160	15	5
EPP280	6 (single)	2 (single)
EPP260	6	2

^{*}Single layer only recommended for hot cups. Use with Beverage Plugs to prevent spilling during transport.

Camdollies®



CDC300

Fits EPP400, EPP300, EPP180SW, EPP160SW, UPC300, 1318CC

EXTERIOR: L 24.9" x W 17.3" x H 7.3"

INTERIOR: L 24.5" x W 17"

UNIT WEIGHT: 11.65 lbs.

LOAD CAPACITY: 300 lbs.

LIST PRICE EACH: \$ 238.00

Case Pack: 1 Color: Red (358).



CDC400

Fits EPP180XLTSW, EPP400

EXTERIOR: L 25.3" x **W** 18.5" x **H** 6.9"

INTERIOR: L 24.5" x W 18.1"

UNIT WEIGHT: 11.7 lbs.

LOAD CAPACITY: 300 lbs.

LIST PRICE EACH: \$ 270.00

Case Pack: 1 Color: Red (358).



^{**}Double layer possible only with 12 oz. or smaller cups.

CAM GOBOX® ACCESSORIES

Camchillers®, Camwarmer® and ThermoBarrier®



CP3253

Camchiller GN 1/1 for EPP160SW, EPP180SW, EPP180LHSW, EPP300, EPP400

L 20.9" x W 12.8" x H 1.2"

UNIT WEIGHT: 8.6 lbs.

LIST PRICE EACH: \$ 107.75

Case Pack: 1 Color: Glacier Blue (443).



CP2632

Camchiller GN 1/2 for EPP260SW, EPP280SW, EPP280WSTSW

L 12.8" x **W** 10.4" x **H** 1.2"

UNIT WEIGHT: 3.9 lbs.

LIST PRICE EACH: \$89.75

Case Pack: 1 Color: Glacier Blue (443).



HP2632

Camwarmer GN 1/2 for EPP260SW, EPP280SW, EPP280WSTSW

L 12.8" x W 10.4" x H 1.2"

UNIT WEIGHT: 3.8 lbs.

LIST PRICE EACH: \$ 78.00

Case Pack: 1 Color: Fire Red (444).



EPP3253DIV

ThermoBarrier for EPP300 & EPP400

L 20.9" x W 12.9" x H 1.5"

UNIT WEIGHT: 0.8 lbs.

LIST PRICE EACH: \$ 33.50

Case Pack: 1 Color: Black (110).

Camchillers Inserts and Kits

Built-in cutouts support cold transfer while protecting food below from condensation.



EPPCTS

Camchiller Insert for Standard EPP180SW & EPP160SW

EXTERIOR: L~23.6"~x~W~15.7"~x~H~3.4"

INTERIOR: L 21.1" x W 13.3" x H 1.3"

UNIT WEIGHT: 0.8 lbs.

LIST PRICE EACH: \$ 62.25

Case Pack: 1 Color: Black (110).



EPPCTL

Camchiller Insert for EPP180LHSW EXTERIOR: L 23.8" x W 15.7" x H 3.4"

INTERIOR: L 21.1" x W 13.3" x H 1.3"

UNIT WEIGHT: 0.8 lbs.

LIST PRICE EACH: \$ 66.00

Case Pack: 1 Color: Black (110).



EPPCTSPKG

Camchiller and Insert all in one package, available for EPP180SW and EPP160SW

L 23.6" x W 15.7" x H 3.4"

UNIT WEIGHT: 9.4 lbs.

LIST PRICE EACH: \$ 172.00

Case Pack: 1 Color: Black (110).



EPPCTLPKG

Camchiller and Large Handle Insert all in one package, available for EPP180LHSW

L 23.6" x W 15.7" x H 3.4"

UNIT WEIGHT: 9.4 lbs.

LIST PRICE EACH: \$ 192.00

Case Pack: 1 Color: Black (110).

Cam GoBox Extender

Add 4" to your top loader GoBox to fit oversize items.



EPPEXT

4" extender fits EPP180SW, EPP160SW and EPP140SW

EXTERIOR: L 23.6" x W 15.7" x H 3.9"

INTERIOR: L 21.1" x **W** 13.3"

UNIT WEIGHT: 0.52 lbs.

LIST PRICE EACH: \$ 29.90

Case Pack: 1 Color: Black (110).

Flip Lid



EPPFLI

Hinged lid for EPP180SW, EPP180LHSW, EPP160SW or EPP140SW

L 23.6" x **W** 15.7" x **H** 1.6"

LIST PRICE EACH: \$55.25

UNIT WEIGHT: 0.9 lbs.

Case Pack: 1 Color: Black (110).



Colored Lids

Use lids to color code for quick content identification or routing.



EPP180LII

Colored lid for EPP180SW, EPP160SW L 23.6" x W 15.7" x H 1.3"

UNIT WEIGHT: 0.6 lbs.

LIST PRICE EACH: \$ 29.90 / \$19.15 (BLK)

Case Pack: 1 Colors: Red (365), Blue (362), Black (110).



COMPONENT

Plastic ID Labels



EPPID5

Plastic ID labels fits all Cam GoBoxes

LIST PRICE EACH: \$ 10.75

Case Pack: 1 Color: (000).

Plug In to the Future of HOT and COLD



The PRO CART ULTRA® PAN CARRIERS







Adjustable temperature from 70° to 185°F, heat up to 165°F in 15 min.

Recovery Time: Average 20 sec. PCU800 8, 4" deep GN Food Pans PCU1000 10, 4" deep GN Food Pans PCU1600 16, 4" deep GN Food Pans PCU2000 20, 4" deep GN Food Pans





Adjustable temperature from 32.5° to 70°F without a compressor.

Recovery Time: PCU1000 / Average 23 sec. PCU2000 / Average 30 sec.



NON-ELECTRIC **PASSIVE**

Holds hot or cold foods for 4 + hours.

(Recovery time based on ambient temp. of 74°F) Empty Compartments

Electrical Cord Storage

PCU1000 / PCU2000 ONLY



The PRO CART ULTRA® PAN CARRIERS

Holding Capacity

moraning culpatority	FOOD PAN DEPTHS															
GN FOOD PANS	2	1/2"	(6,5 c	m)		4" (1	LO cm)			6" (1	15 cm)			8" (2	20 cm)	
GN 1/1	12	14	24	28	8	10	16	20	6	6	8	12	4	4	4	8
GN 1/2	24		28	3	16		20		12	2	12	2	8		8	
GN 1/3	36		36	6	24	l	24		18	3	18	3	12	2	12)
PCU800 PCU1000 P	CU1600)	PCU20	000												

CODE	DESCRIPTION	DIMENSIONS W x D x H	PRODUCT WEIGHT (LBS/KG)	LIST Price ea.
PCU800				
PCU800HH	2 active hot compartments		101.94 / 46,24	\$ 6,830.00
PCU800HC	1 active hot compartment (top), 1 active cold compartment (bottom)	21.9" x 34" x 59.1"	110.69 / 50,21	8,640.00
PCU800CC	2 active cold compartments	(55,63 x 86,36 x 150,1 cm)	119.44 / 54,18	10,445.00
PCU800PP	2 passive compartments		89.88 / 40,77	3,550.00
PCU1000		·		
PCU1000HH	2 active hot compartments		143.5 / 65,1	7,955.00
PCU1000HC	1 active hot compartment (top), 1 active cold compartment (bottom)	22" x 34" x 67"	152.25 / 69,06	10,035.00
PCU1000CC	2 active cold compartments	(55,88 x 86,36 x 170,18 cm)	161 / 73,03	12,115.00
PCU1000PP	2 passive compartments		131.44 / 60	4,380.00
PCU1600				
PCU1600HH	2 active hot compartments		162.25 / 73,6	8,990.00
PCU1600HC	1 active hot compartment (top), 1 active cold compartment (bottom)	30" x 38" x 59" (76,2 x 96,52 x 149,86 cm)	171 / 77,57	11,000.00
PCU1600CC	2 active cold compartments	(70,2 x 90,32 x 149,00 cm)	179.75 / 81,31	13,000.00
PCU1600PP	2 passive compartments		150.19 / 68,13	5,480.00
PCU2000				
PCU2000HH	2 active hot compartments		189.94 / 86,16	9,485.00
PCU2000HC	1 active hot compartment (top), 1 active cold compartment (bottom)	30" x 38" x 68"	198.69 / 90,12	11,570.00
PCU2000CC	2 active cold compartments	(76,20 x 96,52 x 172,72 cm)	207.44 / 94,1	13,655.00
PCU2000PP	2 passive compartments		177.88 / 80,69	5,940.00
Modules				
PCMCX	Cold Module		20.72 / 9,42	4,065.00
PCMHX	Hot Module	_	11.97 / 5,44	2,055.00
PCMPX	Passive Module		5.95 / 2,7	300.00

Case Pack: 1 Color: Charcoal Gray (615). Other configurations and Security Package available. Tow Hitch Package Available for PCU2000 Only.









PRO CART ULTRA®— ELECTRIC & NON-ELECTRIC INSULATED HOLDING &

TRANSPORT CABINETS

The Pro Cart Ultra is the ultimate food transport cart that can hold all your hot and cold menu items in the same cart, at the same time—without a compressor!

- Hold and transport hot and cold foods in a single cart.
- Maintains food quality and moisture.
- Keep food safe while unplugged 4 hours.
- Change hot to cold or cold to hot with a simple hardware change.
- Universal rails fit food pans, sheet pans and more.

Color: Charcoal Gray (615).

Multiple International Certifications available.



Passive and/or Hot Models



Hot, cold and passive modules are also sold separately to quickly outfit the cart to suit your menu.

Temperature Retention of Passive and Unplugged Electric Models



Cold — temperature gain averaging 0.7°F/hour.

33.4°F	34.2°F	34.9°F	36.1°F	36.2°F
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.

Capacity per Compartment

TYPE OF CONTAINER	STANDARD Capacity	STANDARD CAPACITY RAIL SPACING
18" x 26" FULL SIZE SHEET PANS	5	3"
13" x 18" HALF SIZE SHEET PANS	10	3"
GN 1/1 HOTEL PANS (2½" DEEP)	10	4.5"
GN 1/1 HOTEL PANS (4" DEEP)	10	4.5"
60 x 40 cm EURO BAKING SHEETS	5	3"
16" x 16" x 2" PIZZA BOXES	5	3"

Standard rails: 5 rails / compartment *Additional rails required.



Adjustable rails can be set in any position and easily changed when needed.



GASKET-FREE DOOR

For easy cleaning and fewer replacement parts. Door opens full 270°.

SOLAR DIGITAL THERMOMETER

Monitor internal cabinet temperature at a glance.



INSULATION

CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or more with no electricity needed.

4" NYLON LATCHES AND ADJUSTABLE HINGES

For easy opening and closing and to secure contents during transport. (Door is lockable).

5" x 8" MENU POCKET

Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.

STAINLESS STEEL HINGE

For long term durability.



Keeps food moist naturally and remains cool to the touch during operation, unlike metal cabinets.

STANDARD 6" x 2" HEAVY DUTY CASTERS

Two non-marking, high-performance, all swivel casters with brakes in the front and two rigid casters in the back for smooth positioning and navigation.

Pro Cart Ultra Tow Hitch Kit

Tow your Pro Cart Ultra to your loading dock, serving location and back to your kitchen with the Cambro Tow Hitch Kit. The tow hitch is designed to securely connect your Pro Cart Ultra to any service vehicle with towing capability.

- Fits all Pro Cart Ultra models, low and tall.
- Kit available with standard or security hardware.
- Maximum tow capacity 2,000 pounds.

CODE	DESCRIPTION	UNIT Weight	LIST Price ea.
PCUTOW	Pro Cart Ultra Tow Hitch	35 lbs.	\$ 1,805.00
PCUTOWSP	Pro Cart Ultra Tow Hitch Security Package	35	1,990.00

Case Pack: 1 Color: (000). SP package includes tamper-resistant screws.



Store Safe

Powerful Performance, Low Power Consumption

- Energy efficient, active modules draw less than 5 amps each.
- Cold module uses environmentally friendly, thermoelectric technology.
- Plugs into a standard outlet.

COLD

Digital controller allows cold to be set from 32.5° to 40°F.

Thermoelectric Cooling Down to 32.5°F

Cool without a compressor for the ultimate in cold mobility and food safety on the go.

Note: Operate in 90°F or less ambient temperature for best results.

Pre-chill time:

90 minutes to 40°F. (Tested at 73°F ambient.)

Recovery time:

10 minutes after door open for 30 seconds.



Interior with Cold module



Exterior back with Cold module

HOT

Keeps food safely between 150° to 165°F with convenient, pre-set, gentle, non-radiant heat.

Energy-Saving Heater Less Than 5 Amps

Gentle, non-radiant heat circulates consistently from front to back of the cabinet.

Pre-heat time:

45 minutes.

Recovery time:

3 minutes after door open for 30 seconds.



Interior with Hot module



Exterior back with Hot module

Just 5 Minutes to Change Module

- Seasonal menus
- Menu changes
- Additional budget availability
- Different location or facility
- New trends

Electrical Specifications (Per Compartment)

	HOT 110V	HOT 220V	COLD		
REQUIRED VOLTAGE	100-125 VAC	200-230 VAC	100-230 VAC		
MAXIMUM AMP	4.6a	2.3a	3.26a, 1.42a		
WATTS / HEATER OR COOLER	529w	506w	326.6w		
HERTZ	50/60	50/60	50/60		
PHASE	Single	Single	Single		
ALTERNATE PLUG TYPES FOR INTERNATIONAL*	US, Canada, Mexico, Europe, UK, Ireland, Australia, South Africa, China, Japan				
POWER CORD LENGTH	9 ft.	9 ft.	9 ft.		

^{*}If country is not listed, please call Cambro Customer Service for details.



PRO CART ULTRA® - MODEL SPECIFICATIONS



	CODE	DESCRIPTION	UNIT Weight	LIST Price ea.
TALL PROFILE	Both Compa	ortments Passive (Non-electric)		
	PCUPP	Both compartments non-electric / passive	235.2 lbs.	\$ 7,950.00
	Both Compa	ortments Hot		
	PCUHH	110V standard USA / CAN power cord 5-15P	267.5	11,215.00
	PCUHH3	220V USA / CAN power cord 6-15P	268.4	11,215.00
V	Both Compa	ortments Cold		
, and the second	PCUCC	110V standard USA / CAN power cord 5-15P	278.4	16,100.00
	PCUCC3	220V USA / CAN power cord 6-15P	283.8	16,100.00
	Combination	n Hot & Cold		
	PCUHC	Top compartment hot, bottom cold. 110V standard USA / CAN power cord 5-15P	271	14,630.00
	PCUCH	Top compartment cold, bottom hot. 110V standard USA / CAN power cord 5-15P	271	14,630.00
3 = 220V US/CAN/Mexico	PCUHC3	Top compartment hot, bottom cold. 220V standard USA / CAN power cord 6-15P	271.4	14,630.00
03/ OAIV/ MCXICO	PCUCH3	Top compartment cold, bottom hot. 220V standard USA / CAN power cord 6-15P	271.4	14,630.00
	Combination	n Passive & Hot or Cold		
	PCUPH	Top compartment passive, bottom hot. 110V standard USA / CAN power cord 5-15P	255.3	10,105.00
	PCUPC	Top compartment passive, bottom cold. 110V standard USA / CAN power cord 5-15P	260.8	11,065.00
	PCUPH3	Top compartment passive, bottom hot. 220V standard USA / CAN power cord 6-15P	255.8	10,105.00
	PCUPC3	Top compartment passive, bottom cold. 220V standard USA / CAN power cord 6-15P	263.5	11,065.00
LOW PROFILE	PCULP	Non-electric / passive	140	5,005.00
	PCULH	Hot Cart, 110V standard USA / CAN power cord 5-15P	151	6,945.00
	PCULC	Cold Cart, 110V standard USA / CAN power cord 5-15P	156	9,205.00
	PCULH3	Hot Cart, 220V standard USA / CAN power cord 6-15P	151	6,945.00
*	PCULC3	Cold Cart, 220V standard USA / CAN power cord 6-15P	156	9,205.00
Case Pack 1 C	nlar. Charcoal	Gray (615) Standard Railing Includes: 5 pairs of stainless steel Universal rails/compartment		-

Case Pack: 1 Color: Charcoal Gray (615). Standard Railing Includes: 5 pairs of stainless steel Universal rails/compartment. Includes Standard Casters: 6" x 2" heavy duty swivel with brake in front, rigid in back.

Unit Dimensions

UNIT	EXTERIOR DIM. W x D x H	COMPARTMENT DIM. W x D x H
Tall Profile	'	
COLD	28" x 36½" x 66"	$21\frac{1}{8}$ " x $26\frac{1}{4}$ " x $25\frac{1}{2}$ "
HOT / PASSIVE	28" x 35¾" x 66"	21½" x 27" x 25½"
Low Profile		
COLD	28" x 36½" x 40"	$21\frac{1}{8}$ " x $26\frac{1}{4}$ " x $25\frac{1}{2}$ "
HOT / PASSIVE	28" x 35%" x 40"	21½" x 27" x 25½"

Optional Accessories

CODE	DESCRIPTION	PRICE EA.
PCMH / PCMH3	Hot module unit 110V / 220V	\$ 2,120.00
PCMC / PCMC3	Cold module unit 110V / 220V	3,610.00
SSR1	1 Pair of Rails	108.25
SSR5	5 Pairs of Rails	541.25

Case Pack: 1 Module Unit Color: Charcoal Gray (615).

Security Package (SP)

Specially designed for operations where safety and security are a top priority. To order add SP after the product code or visit cambro.com for a listing of codes.

- Tamper resistant fasteners secure side column panels to the cart.
- Cross locking rods behind column panels lock 5 rails in place.
- Each compartment holds ten 4" deep hotel pans.
- Passive and electrical modules and cord strap keepers are secured in place with tamper resistant fasteners.
- Non removable doors. Lockable hasp secures both doors at once. (Lock not included).
- Heavy duty casters mounted with tamper resistant fasteners.

All models are also available without rails and side column panels. Please visit cambro.com for details.





INSULATED FOOD SERVERS (ELECTRIC) – CAMTHERM® ELECTRIC FOOD HOLDING CABINETS



Go From Hot to Cold in One Versatile Cart!

- Use for bulk food holding in the kitchen or to transport large amounts of food off-site.
- Go from hot to cold with the simple flip of a switch!
- Tough polyethylene exterior will not dent, rust or chip; stays cool to the touch during operation, unlike metal cabinets.
- Thick polyurethane foam insulation maintains safe food holding temperatures for 4 hours or more, even unplugged.
- Available in two sizes and hot only or hot/cold models.

Energy-efficient thermoelectric heating and cooling with:

No Compressor, heating coil or humidifier.

Low voltage, amps, wattage.

48%
More
Energy
Efficient

Than Leading Metal Cabinets



Camtherm® Electric Food Holding Cabinets

ADJUSTABLE CHROME-PLATED STEEL SLIDE RAILS

Hold full-size food pans or sheet pans.

KNUCKLE DOOR HINGES

Withstand rigorous door openings, allows door to be lifted up and off for easy cleaning.

DOOR SWINGS OPEN 270°

For easy loading.

MARINE RAILING

Holds 2 full-sized food pans, 1 full-sized sheet pan or cutting board (CB1220).

SOLAR DIGITAL THERMOMETER

Monitor internal temperature at a glance.

SELF-VENTING CAP

Releases steam and equalizes pressure, maintaining food quality.



MENU CLIP

For easy product/event identification.

ERGONOMIC Molded-in Handles

POLYETHYLENE EXTERIORStays cool to the touch during operation.

For easy maneuvering even when fully loaded.

ALUMINUM LOUVERS

Gently circulate hot or cold air evenly.

WIDE NYLON DOOR LATCHES/MAGNETIC DOOR GASKETS

Lock doors securely and create a tight seal to retain safe hot or cold food temperatures.



CONTROL PANEL (in back) On/Off switch Temperature control dial for hot only models. Hot pre-set between 150° to 165°F.

Hot/Cold switch for Hot/Cold Models only. Cold pre-set to 37°F.

TRANSITION TIME

Cold to Hot: 1.5 to 2.5 hrs. Hot to Cold: 3 hrs.

Camtherm® Electrical Specifications









ELECTRICAL Specifications	LOW PROFILE Hot only	LOW PROFILE Hot/cold	TALL PROFILE Hot only	TALL PROFILE Hot/cold
VOLTS	110V	110 V	110V	110V
PLUG TYPE	Nema 5-15P	Nema 5-15P	Nema 5-15P	Nema 5-15P
MAXIMUM AMP DRAW	9.1 amps	10.7 amps	14 amps	14.3 amps
AMPS RUN ON	9 amps	10.1 amps	13.8 amps	13.6 amps
WATTS	1035	1162	1587	1570
HERTZ	50/60	50/60	50/60	50/60
POWER INPUT OF HEATING UNIT	110-120 VAC	110-120 VAC	110-120 VAC	110-120 VAC

Camtherm® Capacity Specifications

LOW Profile	HIGH Profile
,	
11*	22**
12	24
8	16
6	12
4	8
	11* 12 8

^{*}Requires five additional rail sets **Requires five additional rail sets.

Security Package

Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners.
- One-piece, welded and secured rail and upright assembly.
- Lockable hasp on each door (padlocks not included).



Product Specifications

CAD drawings, cut sheets and user manual available at www.cambro.com.

	CODE	THERMOMETER	CASTERS	UNIT WEIGHT	LIST Price ea.
LOW PROFILE		is: W 30½" x D 42" x H 42¾			
	Hot Only				
	CMBH1826LF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	164 lbs.	\$ 8,400.00
1 11	CMBH1826LC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	164	8,400.00
	Hot/Cold				
0	CMBHC1826LF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	222	19,445.00
	CMBHC1826LC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	222	19,445.00
(NSF.)					
Na. Care Care	LOW PROFILE WITH	SECURITY PACKAGE (SP)			
c Us	Hot Only				
	CMBH1826LSP	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	167.4	8,645.00
	Hot/Cold				
	CMBHC1826LSP	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	225.4	19,890.00
TALL PROFILE	EXTERIOR dimension Hot Only	s: W 30½" x D 39" x H 64¾	∕ ^{II}		
	CMBH1826TSF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 6" rigid	250 lbs.	\$ 12,885.00
	CMBH1826TBF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	254	12,885.00
10	CMBH1826TSC	Celsius	2 front 6" swivel w/brake, 2 rear 6" rigid	250	12,885.00
	CMBH1826TBC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	254	12,885.00
8	Hot/Cold				,
	CMBHC1826TSF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 6" rigid	325.5	27,315.00
	CMBHC1826TBF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	330	27,315.00
(T)	CMBHC1826TSC	Celsius	2 front 6" swivel w/brake, 2 rear 6" rigid	325.5	27,315.00
c Cubus	CMBHC1826TBC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	330	27,315.00
(II)					
"Africa VIII"	TALL PROFILE WITH	SECURITY PACKAGE (SP))		
CONFORMS TO UL	Hot Only				
STD 197 & 471; Ansi/NSF STD 4	CMBH1826TSP	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	260.77	13,605.00
	Hot/Cold				
	CMBHC1826TSP	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	337	28,070.00



CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE Pack	LIST Price ea.
CMBR	Set of slide rails	20" x 4 ¹³ / ₁₆ "	1 set of 2 Rails	\$ 90.40
CB1220	Cutting board	21" x 13½" x ½"	1 each	69.80

Cutting Board Color: White (148). Venting plug is covered by US Patent D 553,717 S.

Ultra Pan Carrier® and Ultra Camcart® **H-Series**

- Designed for both electric hot holding and non-electric transport.
- Gentle, 150° to 165°F non-radiant heat will not cook food and maintains food moisture.
- · Holds a wide variety of foods such as pasta, bone-in fried chicken, and double-crusted pies.
- One hour preheat time from room temperature and three minute recovery.
- Energy consumption is substantially less than comparable metal cabinets.
- Will not rust or dent like metal cabinets, is more economical, and is easy to maneuver.
- All UPCH models have been tested to maintain safe, hot food temperatures, for up to 4 hours when unplugged.
- Models with only the top heated door offer unique versatility with an electric hot holding cabinet on top and passive hot or cold food holding on the bottom.
- · Heated door kits also sold separately to retrofit UPC400, UPC800 and UPC1600.

Colors: Granite Gray (191), Granite Green (192), Slate Blue (401), Dark Brown (131), Black (110).

Casters: 6" - 2 fixed, 2 swivel, 1 with brake.













Power On and **Heat On Indicators**

Communicate the Power and Heating status of the UPCH1600 unit. Know instantly when the compartment has reached target temperature.




Vents

Consistent heating throughout the compartment is generated by vents that constantly circulate heat from front to back.



Tough Exterior

All UPCH units are made of tough polyethylene with polyurethane foam insulation to keep heat in while keeping the exterior cool to the touch. Will not crack, dent, chip, rust or break.



Insulation

CFC-free, foamed-in place polyurethane foam insulation will hold temperature above 148°F for up to 4 hours when used unplugged.

Ultra Pan Carrier® and Ultra Camcart® H-Series

Marine rail is designed for use during service, not transport.



MODEL	UPCH400/ UPCH800 (110 VAC MODELS)	UPCH4002/ UPCH8002* (220 VAC MODELS)	UPCH1600 (110 VAC MODELS)	UPCH16002* (220 VAC MODELS)
Electrical Specifications	,	,	'	
REQUIRED VOLTAGE	$110-120~\mathrm{VAC}$	$200 - 230 \; \text{VAC}$	$110-125\ VAC$	$200-230\ VAC$
MAXIMUM AMP.	2.0a	1.2a	4.6a	1.2a
WATTS	230w	265w	529w	265w
HERTZ	50/60	50/60	50/60	50/60
PLUG TYPE	Nema 5-15P	Euro plug, CEE7	5-15P to C15RA	CEE7/7 to C15RA
POWER CORD LENGTH	9 feet	2,7 m	9 feet	2,7 m

^{*}No U.S. 220V model available.

Hot — temperature loss averaging 3°F/hour when unplugged.


185°F	181°F	179°F	176°F	174°F
\leftarrow	-			
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.

HOT HOLDING	150° — 165°F
WARM UP TIME (from ambient to temperature)	1 hour
RECOVERY TIME* (time to recover to temperature after door is held open for 30 seconds)	3 minutes
TRANSPORT TIME* (after reaching temperature, amount of time unit can be held passively/unplugged until contents reach 148°F.)	4 hours+

^{*}Based on test with 4 full-sized, 4" deep H-Pans™ filled with 190°F hot water.

Capacity Guide

UPCH400 UPCH800 (x2) UPCH1600 (x4)



Food Pan Portion Guide

GN 1/1 FOOD PAN				
DEPTH	8"	6"	4"	21/2"
SERVING PORTIONS PER PAN (1 CUP)	80	60	40	30

Ultra Pan Carrier® and Ultra Camcart® **H-Series**

- Enables HACCP compliance by maintaining safe, hot food temperatures.
- UPCH400 models stack for storage or transporting on a Camdolly® with securing strap.

Colors: Granite Gray (191), Granite Green (192), Slate Blue (401), Black (110), Dark Brown (131).









Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners.
- · Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- · Heavy duty (HD) casters with chassis plates mounted with tamper resistant bolts.

CODE	CASTERS	PRICE EA.
UPCH1600SP	6" x 2"	\$ 8,130.00
UPCH16002SP	6" x 2"	8,130.00



CODE	DESCRIPTION	EXTERIOR DIMENSIONS W x D x H	RAIL TO RAIL Dimensions W x D x H	LIST Price ea.
1-Compartment Ultra				
UPCH400	No casters	18½" x 26¾" x 24½"	12" x 21" x 19½"	\$ 1,985.00
UPCHW400	With casters	18½" x 26¾" x 31¼"	131/8" x 21" x 191/8"	2,250.00
220V*				
UPCH4002	No casters	181/8" x 263/8" x 247/9"	131/8" x 21" x 191/8"	1,985.00
UPCHW4002	With casters	181/8" x 263/8" x 311/4"	131/8" x 21" x 191/8"	2,250.00
2-Compartment Ultra	Camcarts			
UPCH800	Both doors heated	20½" x 27½" x 54"	12" x 21½" x 19½"	4,870.00
UPCHT800	Top door heated only	20½" x 27½" x 54"	13" x 21½" x 19½"	3,710.00
UPCH1600	Both doors heated	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	7,890.00
UPCH1600HD	Both doors heated, HD casters	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	8,115.00
UPCHT1600	Top door heated only	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	6,150.00
UPCHT1600HD	Top door heated only, HD casters	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	6,365.00
220V*				
UPCH8002	Both doors heated	20½" x 27½" x 54"	12" x 21½" x 19½"	4,870.00
UPCHT8002	Top door heated only	20½" x 27½" x 54"	12" x 21½" x 19½"	3,710.00
UPCH16002	Both doors heated	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	7,890.00
UPCH16002HD	Both doors heated, HD casters	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	8,115.00
UPCHT16002	Top door heated only	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	6,150.00
UPCHT16002HD	Top door heated only, HD casters	28¾" x 33¾" x 54½"	19¾" x 26½" x 21"	6,365.00
Accessories for 1-Com	partment	WxDxH	WxD	
CD400	Camdollies®	21½6" x 28½" x 9"	18½" x 25% ₆ "	478.00
400STP	150" long strap		_	29.70

UPCH Case Pack: 1 *No U.S. 220V model available.

Also Available: Top and Bottom Replacement/Retrofit Doors for 110V and 220V (non-interchangeable).

InStock Colors: Black (110), Dark Brown (131). Standard Casters: 6" x $1\frac{1}{4}$ " -2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 6" x 2" -2 fixed, 2 swivel with brake.

Multiple GN Food Pan, **Front-Loading Carts**

- Double-compartment, highcapacity carts hold and transport hot or cold food.
- Tough, polyethylene shell and thick foam insulation throughout cabinet and between compartments maintain safe food temperatures for 4 hours or more.
- Easy to maintain and won't dent, crack, rust, or chip.

- Durable nylon door latches open easily and close securely.
- Full-swing doors open to the side of the cart for easy loading and unloading.
- · Airtight removable gaskets
- Molded-in handles ensure easy maneuvering.
- Molded-in bumpers minimize damage to walls, furniture and other equipment.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158), Granite Gray (191), Granite Green (192), Granite Sand (194).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

Note: Best results will be achieved by loading food pans between 180° to 190°F. Loading metal food pans over 250°F may result in damage to the carrier or cart.

Venting plug is covered by US Patent D 553.717 S.









Polyurethane insulation keeps hot food hot and cold food cold.



Shown with optional HD casters.

TOTAL CART Holding Capacity	UPC600	UPC800	UPC1200	UPC1600
Full Size Food Pans				
2½" deep	8 pans	12 pans	16 pans	24 pans
4" deep	6 pans	8 pans	12 pans	16 pans
6" deep	4 pans	6 pans	8 pans	12 pans
8" deep	2 pans + 2 each 4" pans	4 pans	4 pans	8 pans
Camtray®*				
3253	12 trays	24 trays	24 trays	48 tray
2632	24 trays	48 tray	_	_
2025	_	_	12 trays	24 trays

See Food Pan and Camtray Section for pricing and ordering information. *Based on 3" spacing between trays.

Hot	temperature	Inss	averaging	3°F/hour
HUUL —	renneranne	1022	averaging	o i / iiuiii.

190°F	186°F	184°F	181°F	179°F
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
33.9°F	34.1°F	34.7°F	35.2°F	35.8°F

Cold — temperature gain averaging 1.5°F/hour.



Ultra Camcarts®







CODE	UPC600	UPC800 (UPC800SP)	UPC1200
DESCRIPTION	Base model	Base model (Security package)	Base model
EXTERIOR DIM. W x D x H	20½" x 27½" x 45"	20½" x 27½" x 54"	28½" x 32¼" x 45½"
RAIL TO RAIL DIM. W x D x H	11¾" x 21½6" x 14"	12" x 21½" x 19½"	19¾" x 26½" x 13½"
CASTERS	5" x 11/4" casters	6" x 11/4" (6" x 11/2" HD casters)	6" x 11/4" casters
TEMPERATURE Maintenance tools	1210PW Camwarmer®, 300DIV ThermoBarrier®, CP3253 and CP2632 Camchiller®	1210PW Camwarmer, 400DIV ThermoBarrier, CP3253 and CP2632 Camchiller	1200DIV Thermo Barrier, CP3253 Camchiller
LIST PRICE EACH	\$ 1,730.00	\$ 2,040.00 (\$ 2,200.00)	\$ 2,610.00

Case Pack: 1 Casters: 5" or 6" x 1½", 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 6" x 1½", 2 fixed, 2 swivel with brake casters.



Security Package (SP)

Specifically designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper resistant bolts.



CODE	UPC1600	UPC1600HD	UPC1600SP	UPCGL1600SP
DESCRIPTION	Base model	Base model with HD casters	Security package	Security package, gasketless
EXTERIOR DIM. W x D x H	28¾" x 33¾" x 54½"			
RAIL TO RAIL DIM. W x D x H	19¾" x 261/8" x 21"	19¾" x 261/8" x 21"	19¾" x 26½" x 21"	19 ³ / ₄ " x 26 ¹ / ₈ " x 21"
CASTERS	6" x 11/4" casters	6" x 2" HD casters	6" x 2" HD casters	6" x 2" HD casters
TEMPERATURE Maintenance tools	1600DIV ThermoBarrier, CP3253 Camchiller	1600DIV ThermoBarrier, CP3253 Camchiller	1600DIV ThermoBarrier, CP3253 Camchiller	1600DIV ThermoBarrier, CP3253 Camchiller
LIST PRICE EACH	\$ 3,750.00	\$ 3,945.00	\$ 4,100.00	\$ 3,785.00

Case Pack: 1 Casters: 5" or 6" x 1½", 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 6" x 2", 2 fixed, 2 swivel with brake casters.

INSULATED FOOD SERVERS

CAMCARTS®

Reimagined









IMPROVED ERGONOMICS

with two molded-in vertical handles for easy maneuvering





ROBUST Stainless Steel Hinges



Camcarts®

- Holds sheet pans, trays and food boxes.
- Includes removable cutting board on top.
- Security Package (SP)** features tamper-resistant hardware to protect both cart and contents.
 Includes chassis plates with 6" x 1½" HD Casters.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615).

Standard Casters: 6" x $1\frac{1}{4}$ ", 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 6" x $1\frac{1}{2}$ ", 2 fixed, 2 swivel, no brake.

Note: Cool metal sheet pans to 250°F before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.



Camcart for Food Storage Boxes

1826LBC / 1826LBCSP**

Holds 18" x 26" Food Storage Boxes. 13 supports on $1\frac{3}{4}$ " centers.

EXTERNAL DIM. W x D x H: 21½" x 32" x 37½"

RAIL TO RAIL DIM. W x D x H: 16½" x 26½" x 25½"

LIST PRICE EACH: \$ 1,950.00 / \$ 2,420.00

Case Pack: 1







Camcart for Trays and Sheet Pans

1826LTC / 1826LTCSP**

Holds up to 13 each 18" x 26" trays or sheet pans. 13 tray supports on $1\frac{3}{4}$ " centers.

EXTERNAL DIM. W x D x H: 21½" x 32" x 37½"

RAIL TO RAIL DIM. W x D x H: 14%" x 26%" x 25%"

LIST PRICE EACH: \$ 1,965.00 / \$ 2,460.00

Case Pack: 1





Camcart for Trays and Sheet Pans

1826LTC3

Holds up to 7 each 18" x 26" trays or sheet pans. Seven tray supports on 3¾" centers with 3" clearance between trays.

EXTERNAL DIM. W x D x H: 21½" x 32" x 37½"

RAIL TO RAIL DIM. W x D x H: 14%" x 261%" x 25%"

LIST PRICE EACH: \$ 1,965.00

Case Pack: 1



Camcarriers®

- Holds sheet pans, trays and GN food pans.
- One piece seamless construction with molded-in handles.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615). 1318CC also available in Hot Red (158).

Refer to Camdollies listing.

Note: Cool metal sheet pans to 250°F before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.



Combo Carrier

1318CC

Holds half-size sheet pans, trays and a variety of food pan sizes. Safely keeps cold food below 41°F, hot food above 140°F for 4+ hours. Interstacks with UPC300, 300MPC, 1318MTC.

EXTERNAL DIM. W x D x H*: 17" x $25\frac{3}{4}$ " x $22\frac{3}{8}$ "

RAIL TO RAIL DIM. W x D x H: 12" x 21" x 14"

FITS CAMDOLLY:

CD300, CD300H, CD300HB, CDC300

LIST PRICE EACH: \$695.00

Case Pack: 1 *With Handle.







1826MTC

Holds up to 6 each 18" x 26" sheet pans. Six tray supports on $2\frac{1}{8}$ " centers.

EXTERNAL DIM. W x D x H*: 21½" x 29¼" x 22½"

RAIL TO RAIL DIM. W x D x H: 15" x $26\frac{1}{8}\text{"}$ x $14\frac{1}{8}\text{"}$

FITS CAMDOLLY:

CD1826MTC, CD1826MTCHB

LIST PRICE EACH: \$ 1,050.00

Case Pack: 1 *With Handle.







1826HAR

Lifting harness.

DIMENSION: 142" long

LIST PRICE EACH: \$ 138.80

Color: Beige (000).



Multiple GN Food Pans, Front-loading Carriers

- Holds GN 1/1, GN 1/2 and GN 1/3 pans.
- One-piece seamless construction for great durability.
- Thick polyurethane insulation safely keeps cold food below 41°F, hot food above 140°F for 4+ hours.
- Fully removable door.
- Labeling area on door for adhering ID or routing labels.

Colors: Black (110), Dark Brown (131), Hot Red(158), Navy Blue (186), Slate Blue (401), Charcoal Gray (615). UPC300 is covered by US Patent D786,607 S.











Recommended labeling with: 23SLINB250 2" x 3" StoreSafe® Labels.







HDC200	rail	configurati	_
ひというひひ	Tall	cominguran	U

DEPTH	GN 1/1	GN 1/2	GN 1/3
21/2"	4	8	12
4"	3	6	9
6"	2	4	6
8"	1	2 + two 4"	3 + three 4"



CODE	UPC300
EXTERIOR DIM. W x D x H	17" x 25¾" x 22¾"
INTERIOR DIM. W* x D x H	13½" x 21" x 14"
UNIT WEIGHT	23.3 lbs.
FITS CAMDOLLY®	CD300, CD300H, CD300HB, CDC300
LIST PRICE EACH	\$ 665.00

Case Pack: 1 InStock Colors: Dark Brown (131), Black (110). *Rail to Rail Temperature Maintenance Tools: 1210PW Camwarmer®, UPC300DIV ThermoBarrier® and CP3253 Camchiller®.

Hot — temperature loss averaging 3°F/hour.

	190°F	186°F	184°F	181°F	179°F
Sta	arting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
Cold –	33.9°F — temperature	34.1°F gain averagi	34.7°F ing 1.5°F/hour.	35.2°F	35.8°F

Optional Accessories





CODE	CD300	CD300H
DESCRIPTION	Camdolly	Camdolly with Handles
EXTERIOR DIM.	25½" x 19¼" x 10½"	19" x 30½" x 36½"
INTERIOR DIM.	167/8" x 231/16"	17" x 23½"
LIST PRICE EACH	\$ 429.00	\$ 690.00

Case Pack: 1

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

Ultra Pan Carrier® **UPC400**

- Fit four 4" deep full-size food pans.
- Hold hot or cold food safely for 4 hours or more.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110), Granite Gray (191), Granite Green (192), Granite Sand (194).

UPC400 is covered by US Patent D 392,158. Venting plug is covered by US Patent D 553,717 S.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

Note: Best results will be achieved by loading food pans between 180° to 190°F (82° to 88°C). Loading metal food pans over 250°F (121°C) may result in damage to the carrier or cart.











ERGONOMIC DESIGN

Unbreakable, ergonomic, molded-in handles for comfortable two-person carrying.



PRESSURE AND HUMIDITY CONTROL

Pop-up vent.





TEMPERATURE RETENTION Polyurethane insulation keeps hot food hot and cold food cold.



QUICK ACCESS Single, 9" nylon latch for quick and secure opening and closing.

REMOVABLE GASKET Provides an airtight seal.

Hot	— temperature lo	ss averagin	ig 3°F/hour.		
	190°F	186°F	184°F	181°F	179°F
•					
	Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
•				_	
	33.9°F	34.1°F	34.7°F	35.2°F	35.8°F
Cold — temperature gain averaging 1.5°F/hour.					

CODE	UPC400 / UPC400SP**
EXTERIOR DIM. W x D x H	18" x 25" x 241/8"
INTERIOR DIM. W* x D x H	131/8" x 21" x 191/8"
UNIT WEIGHT	32 lbs. / 36 lbs.
FITS CAMDOLLY®	CD400, CDC400
LIST PRICE EACH	\$ 785.00 / \$ 870.00

Case Pack: 1 InStock Colors: Coffee Beige (157), Black (110). *Rail to Rail **Security Package (SP) Model: Tamper-resistant fasteners.

Non-removable doors. Lockable hasp on each door (padlocks not included).

UPC400 Holding Capacity



HOLDING CAPACITY:

Pan Depth	Number of GN 1/1 pans
21/2"	6
4"	4
6"	3
8"	2
Also holds GN 1/2 a	nd 1/3 size pans.

Optional Accessories





CODE	CD400	400STP
DESCRIPTION	Camdolly®	Strap
EXTERIOR DIM.	21½16" x 28½" x 9"	150" long
INTERIOR DIM.	18½" x 25½"	_
COLOR	A	Beige (000)
LIST PRICE EACH	\$ 478.00	\$ 29.70

Case Pack: 1 CD400 Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).



Ultra Pan Carrier® S-Series UPCS400

- Fit four 4" deep full-size food pans.
- Hold hot or cold food safely for 4 hours or more.

Colors: Slate Blue (401), Speckled Grey (480), Dark Brown (131).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

Note: Best results will be achieved by loading food pans between 180° to 190°F. Loading metal food pans over 250°F may result in damage to the carrier or cart.













Reduces need to open door.



service (not for use during transport).

EASY TO CLEAN

Door removes for easy cleaning.



TEMPERATURE RETENTION

Polyurethane insulation keeps hot food hot and cold food cold.





PRESSURE CONTROL Built-in vent.



ERGONOMIC DESIGN

carrying.


QUICK ACCESS

Unbreakable, ergonomic, molded-in handles for comfortable two-person

Single, 9" nylon latch for quick and

secure opening and closing.

Eliminates need for removable gasket.




Cold — temperature gain averaging 1.5°F/hour.

CODE	UPCS400
EXTERIOR DIM. W x D x H	18" x 26½" x 25"
INTERIOR DIM. W x D x H	13½" x 21" x 19½"
UNIT WEIGHT	44.3 lbs.
FITS CAMDOLLY	CD400, CDC400
LIST PRICE EACH	\$ 690.00

Case Pack: 1 InStock Colors: Speckled Gray (480), Dark Brown (131).

UPCS400 Holding Capacity



HOLDING CAPACITY:

Pan Depth	GN 1/1 pans	
21/2"	6	
4"	4	
6"	3	
8"	2	

Also holds GN 1/2 and 1/3 size pans.

Number of

UPCS400 rail configuration

Optional Accessories







CODE	UPCS400CK	CD400	400STP
DESCRIPTION	Caster Kit*	Camdolly®	Strap
EXTERIOR DIM.	5"	21½16" x 28½" x 9"	150" long
INTERIOR DIM.	_	18½" x 25½"	_
COLOR	_	A	Beige (000)
LIST PRICE EACH	\$ 209.30	\$ 478.00	\$ 29.70

Case Pack: 1 *Optional Caster Kit for UPCS400: 2 fixed, 2 swivel, 1 w/ brake. ▲ CD400 Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).



Single GN Food Pan, Top-Loading Carriers

- Top-loading food pan carriers hold, transport and serve a single fullsize pan of hot or cold food.
- Sturdy and durable, seamless polyethylene or polypropylene with thick foam insulation.
- Molded-in handles on all four sides for easy carrying and handling.
- 100 Series interstacks within the series and 240MPC stacks only with 240MPCs.
- Use with divider bars to hold multiple fractional pans.
- Pans are easy to remove using finger notches.
- Carriers interlock and stack for transporting and storing.

UPCS Colors: Dark Brown (131), Coffee Beige (157), Speckled Gray (480), Black (110).

MPC and MPCHL Colors:

Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Kentucky Green (519), Black (110), Hot Red (158).

UPC Colors: Slate Blue (401), Dark Brown (131), Black (110), Granite Gray (191), Granite Green (192).

See Food Pan Section and Camdolly Section for pricing and ordering information.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity.

Note: Best results will be achieved by loading food pans between 180° to 190°F. Loading metal food pans over 250°F may result in damage to the carrier.











Hot — temperature loss averaging 3°F/hour.

190°F	186°F	184°F	181°F	179°F
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
33 0°F	3/1 1°F	3/1 7°F	35.2°F	35 8°F

Cold — temperature gain averaging 1.5°F/hour.






UPC100 No divider bars available for UPC100.

UPC160 Shown with dividers and fractional sized food pans.

Camcarrier®

One-piece, seamless polyethylene construction, airtight removable gasket and sturdy plastic latches.



Case Pack: 1 *Without using food pans. 240MPC and 100MPCHL No Divider Bar.



S-Series

Durable polypropylene construction, built in seal and wide, nylon latches. Contemporary appearance and superior holding performance at an economical price.







CODE	UPCS140	UPCS160*	UPCS180
COMPARTMENT CAPACITY	1 full size 4" deep pan	1 full size 6" deep pan	1 full size 8" deep pan
EXTERIOR DIM. W x D x H	251/8" x 171/8" x 81/2"	251/8" x 171/8" x 101/4"	251/8" x 171/8" x 12"
FITS CAMDOLLY®	CD160	CD160	CD160
LIST PRICE EACH	\$ 348.00	\$ 359.00	\$ 391.00

Case Pack: 1 *UPCS160 Cannot be used with Camchiller.

Ultra Pan

One-piece, seamless polyethylene construction, airtight removable gasket and wide, nylon latches.







CODE	UPC140	UPC160	UPC180
COMPARTMENT CAPACITY	1 full size 4" deep pan	1 full size 6" deep pan	1 full size 8" deep pan
EXTERIOR DIM. W x D x H	24¾" x 17¾" x 8¼"	24¾" x 17¾" x 10¼"	24¾" x 17¾" x 12"
FITS CAMDOLLY	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160
LIST PRICE EACH	\$ 535.00	\$ 540.00	\$ 560.00

Case Pack: 1

Multiple Stackable GN Food Pans, Top-Loading Carriers

100 Series

Store and stack food pans or place packaged food directly in compartment.





CODE	100MPC	UPC100
COMPARTMENT CAPACITY	3 full size 2½" deep pans or 2 full size 4" deep pans or 1 full size 6" or 8" deep pan	3 full size 2½" deep pans or 2 full size 4" deep pans or 1 full size 6" or 8" deep pan
EXTERIOR DIM. W x D x H	26¾" x 18" x 15"	265/8" x 18" x 153/4"
INTERIOR DIM. W x D x H	21¾" x 13¾" x 8"	22½" x 13" x 8"
BULK CAPACITY*	40 qts.	40 qts.
FITS CAMDOLLY	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028
LIST PRICE EACH	\$ 570.00	\$ 605.00

Case Pack: 1 *Without using food pans. 100MPC and UPC100 No Divider Bar.

Accessories


CODE	OVERALL Exterior	LIST Price ea.	
Divider Bars for Food Pans			
DIV12	12¾" length	\$ 5.35	
Case Pack: 3	Colors: White (148),	Clear (135).	





TRANSPORTER CAPACITY GUIDE

Loading Examples for Cambro® Insulated Transporters



TEMPERATURE MAINTENANCE TOOLS



Camchiller®

- An easy-to-use, cold food holding temperature tool.
- Extend cold holding time or enhance safe holding below 41°F when frequent access is required.
- Freeze first then use to pre-chill cabinet before loading.



Cold — temperature gain averaging 1.5°F/hour.









CODE	CP3253 GN Full Size	CP2632 GN Half Size	CP814 Camchiller 8 x 14
FITS INTO	Insulated Transporters: UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPCS400, UPC100, UPC600, UPC800, UPC1200, UPC1600, UPCSS160 Camcruisers®: CVC72*, CVC724* Combo Carts™: All Models CamKiosk®*: All Models	Insulated Transporters: UPC300, 300MPC, 1318CC, 1318MTC, UPC140, UPC160, UPC180, UPC400, UPCS400, UPC600, UPC800, UPCS140, UPCS160, UPCS180 Camcruisers®: CVC72*, CVC724* CamKiosk®*: All Models	Food Boxes: 12189CW, 12189P, 12186CW, 12186P Camcruisers®: CVC55, CVC72*, CVC724* CamKiosk®*: All Models
DIMENSIONS L x W x H	20.9" x 12.8" x 1.2"	12.8" x 10.4" x 1.2"	14" x 8" x 1½"
COLOR	Glacier Blue (443)	Glacier Blue (443)	Cold Blue (159)
LIST PRICE EACH	\$ 107.75	\$ 89.75	\$ 93.25

Case Pack: 1 InStock Color: Glacier Blue (443), Cold Blue (159). *Top wells only.

ThermoBarrier®

• Use to minimize empty space and food temperature loss within a partially loaded compartment.





CODE	UPC300DIV	300DIV	400DIV	1200DIV	1600DIV
FITS INTO	UPC300, 1318CC	300MPC, 1318MTC, UPC600	UPC400, UPC800, UPC400SP, UPCS400, UPC800SP	UPC1200, CVC72, CVC724	UPC1600, CamKiosk
DIMENSIONS L x W x H	201/8" x 1215/16" x 1"	20 ¹³ / ₁₆ " x 12 ¹⁵ / ₁₆ " x 1"	21½" x 13" x 1½"	20%" x 12%" x 13%"	20%" x 131/8" x 11/2"
COLOR	Charcoal Gray (615)	Coffee Beige (157)	Gray (180)	Dark Brown (131)	Slate Blue (401)
CASE PACK	1	1	1	2	2
LIST PRICE EACH	\$ 103.25	\$ 103.25	\$ 103.25	\$ 118.50	\$ 118.50

InStock Models: UPC300DIV and 400DIV.

Camwarmer®

• Added insurance to keep hot foods hot during holding and transporting.

 Keep in cabinet with hot foods to extend holding time or enhance safe holding above 140°F when frequent access is required.













CODE	1210PW	HP2632
FITS INTO	UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPCS400, UPC600, UPC800	UPC300, 300MPC, 1318CC, 1318MTC, UPC140, UPC160, UPC180 UPC400, UPCS400, UPC600, UPC800, UPCS140, UPCS160, UPCS180
DIMENSIONS L x W x H	13½" x 10½" x 1½"	12.8" x 10.4" x 1.2"
COLOR	Granite Gray (191)	Fire Red (444)
LIST PRICE EACH	\$ 259.00	\$ 78.00

Case Pack: 1 InStock Color: Granite Gray (191).



UPC400 with Camwarmer.


Two Camwarmers recommended per cavity. Place on bottom rail and store hot food above.

TEMPERATURE MAINTENANCE — OPTIMIZE FOOD HOLDING PERFORMANCE

Camchiller® - GN Full Size and Half Size

- Use to:
 - Pre-chill cabinet cavity.
 - Hold packaged food in food pan wells (Half Size Only).
 - Maximize cold food holding.
 - Minimize open cavity space.
- Easy to use:
 - 1. Freeze flat for 8 hours.
 - 2. Slide one or two on top rails and pre-chill cavity 15-20 minutes.
 - Load in pans of pre-chilled food below Camchiller. (A)
 - 4. Move pans and Camchiller down as food is removed. (B)


COLD HOLDING



ThermoBarrier® - Full Size

- Use to:
 - Hold hot and cold food in same cabinet cavity.
 - Minimize open cavity space.
- Easy to use:
- 1. Slide between hot food on top and cold food on bottom. (A)
- 2. Slide under hot food loaded in upper cavity space. (B)
- 3. Slide above cold food loaded into lower cavity space. (C)


HOT AND COLD HOLDING



HOT HOLDING

Camwarmer® - Half Size

- Use to:
- Pre-heat cabinet cavity.
- Maximize hot food holding.
- Minimize open cavity space.
- · Easy to use:
- 1. Heat in 350°F oven for 45 min.
- 2. Slide two Camwarmers on bottom rails and pre-heat cavity 15-20 minutes (or place on high heat food pan lid or sheet pan).
- 3. Load in pans of pre-heated food above Camwarmers. (A)
- 4. Move pans and Camwarmers up as food is removed. (B)



CAMDOLLIES® FOR INSULATED BEVERAGE SERVERS AND CARRIERS

With Handles



CD100H

EXTERNAL DIM. W x D x H: $19\frac{1}{2}$ " x $33\frac{1}{8}$ " x $36\frac{1}{4}$ "

INTERIOR DIM. W x D: $17\frac{5}{8}$ " x $26\frac{3}{8}$ "

CAPACITY: 350 lbs.

CASTER TYPE: A

FITS: 250LCD, 350LCD, 500LCD, UC250, UC500, 100MPCHL, UPC140, UPC160, UPC180, 100MPC, 300MPC, UPC3140, UPCS140, UPCS160, UPCS180, UPCS160

LIST PRICE EACH: \$ 700.00





CD300H

EXTERNAL DIM. W x D x H: 19" x 30½" x 36½"

INTERIOR DIM. W x D: 17" x 23¹/₂"

CAPACITY: 350 lbs.

CASTER TYPE: A

FITS: 1000LCD, UC1000, UPC300, 300MPC, 1318CC, 1318MTC, 250LCD, 350LCD, 500LCD, UC250, UC500, UPCS140, UPCS160, UPCS180, UPCSS160

LIST PRICE EACH: \$690.00





CD1826H

EXTERNAL DIM. W x D x H: 20" x $31\frac{1}{2}$ " x $38\frac{1}{4}$ "

INTERIOR DIM. W x D: 18" x 26"

CAPACITY: 300 lbs.

CASTER TYPE: A

FITS: 250LCD, 350LCD, 500LCD, 1000LCD, UC250, UC500, UC1000, 100MPC, 300MPC, UPC3140, UPCS160, UPCS180, UPCS160

LIST PRICE EACH: \$ 745.00





CD1826MTC

EXTERNAL DIM. W x D x H: 235/8" x 353/8" x 363/8"

INTERIOR DIM. W x D: 215/8" x 283/8"

CAPACITY: 350 lbs.

CASTER TYPE: A

FITS: 100MPC, UPC100, 1826MTC

LIST PRICE EACH: \$ 795.00





CD2020H

EXTERNAL DIM. W x D x H: $22\frac{3}{16}$ " x $25\frac{7}{8}$ " x $36\frac{7}{8}$ "

INTERIOR DIM. W x D: $20\frac{3}{16}$ " x $20\frac{1}{8}$ "

CAPACITY: 350 lbs.

CASTER TYPE: B

FITS: 250LCD, 350LCD, 500LCD, 1000LCD, UC1000

LIST PRICE EACH: \$630.00



Big Rear Wheels



CD100HE

EXTERNAL DIM. W x D x H: 23%" x 32%" x 36%"

INTERIOR DIM. W x D: 18" x 27"

CAPACITY: 350 lbs.

CASTER TYPE: C

FITS: 250LCD, 350LCD, 500LCD, 1000LCD, UC250, UC500, UC1000, 100MPCHL, 100MPC, UPC100, UPC300, 300MPC

LIST PRICE EACH: \$850.00





CD300HB

EXTERNAL DIM. W x D x H: 23½" x 29½" x 36½"

INTERIOR DIM. W x D: 17" x 23% 16"

CAPACITY: 350 lbs.

CASTER TYPE: C

FITS: 250LCD, 350LCD, 500LCD, 1000LCD, UC250, UC500, UC1000, 300MPC, 1318MTC, UPC300, 1318CC, UPCS140, UPCS160, UPCS180, UPCSS160

LIST PRICE EACH: \$815.00





CD1826HB

EXTERNAL DIM. W x D x H: $23\frac{1}{2}$ " x $32\frac{1}{2}$ " x $36\frac{1}{2}$ "

INTERIOR DIM. W x D: $18\frac{1}{2}$ " x $26\frac{1}{4}$ "

CAPACITY: 300 lbs.

CASTER TYPE: C

FITS: 250LCD, 350LCD, 500LCD, UPC140, UPC160, UPC180, 300MPC, 1318MTC, UPC300, 1318CC, UPCS140, UPCS160, UPCS180, UPCSS160

LIST PRICE EACH: \$ 920.00





CD1826MTCHB

EXTERNAL DIM. W x D x H: 275/8" x 35" x 363/4"

INTERIOR DIM. W x D: 215/8" x 283/8"

CAPACITY: 350 lbs.

FITS: 1000LCD, UC1000, 100MPC, UPC100, 1826MTC

LIST PRICE EACH: \$ 1.015.00





CD2020HB

EXTERNAL DIM. W x D x H: $26\frac{1}{4}$ " x $26\frac{1}{2}$ " x $36\frac{5}{8}$ "

INTERIOR DIM. W x D: $20\frac{1}{2}$ " x $20\frac{5}{8}$ "

CAPACITY: 350 lbs.

CASTER TYPE: C

FITS: 250LCD, 350LCD, 500LCD

LIST PRICE EACH: \$815.00



CAMDOLLIES® FOR INSULATED BEVERAGE SERVERS AND CARRIERS

Without Handles



CD100

EXTERNAL DIM. W x D x H: 195/8" x 285/8" x 101/2"

INTERIOR DIM. W x D: 17³/₁₆" x 26³/₈"

CAPACITY: 300 lbs.

CASTER TYPE: A

FITS: 250LCD, 350LCD, 500LCD, UC250, UC500, 100MPCHL, 100MPC, 300MPC, UPC300, UPC100, UPCS140, UPCS160, UPCS180, UPCSS160

LIST PRICE EACH: \$ 429.00







CD160

EXTERNAL DIM. W x D x H: 16⁷/₁₆" x 24¹/₂" x 10³/₈"

INTERIOR DIM. W x D: $14^{1}/_{4}$ " x $22^{1}/_{4}$ "

CAPACITY: 300 lbs.

CASTER TYPE: A

FITS: UPCS140, UPCS160, UPCS180, UPCSS160, UPC140, UPC160, UPC180

LIST PRICE EACH: \$ 429.00







CD300

EXTERNAL DIM. W x D x H: $25\frac{1}{2}$ " x $19\frac{1}{4}$ " x $10\frac{1}{2}$ "

INTERIOR DIM. W x D: $16\frac{7}{8}$ " x $23\frac{1}{16}$ "

CAPACITY: 350 lbs.

CASTER TYPE: A

FITS: 1000LCD, UC1000, 300MPC, 1318MTC, UPC300, 1318CC, UPCS140, UPCS160, UPCS180, UPCSS160

LIST PRICE EACH: \$ 429.00





CD400

EXTERNAL DIM. W x D x H: 21½6" x 28½8" x 9"

INTERIOR DIM. W x D: 18½" x 25½"

CAPACITY: 300 lbs.

CASTER TYPE: A

FITS: UPCS400, UPC400

LIST PRICE EACH: \$ 478.00





CDC300

EXTERNAL DIM. W x D x H: 175/16" x 247/8" x 75/16"

INTERIOR DIM. W x D: $17\frac{1}{16}$ " x $24\frac{5}{8}$ "

CAPACITY: 300 lbs.

CASTER TYPE: D

FITS: EPP400, EPP300, UPC300, EPP180SW, EPP160SW

LIST PRICE EACH: \$ 238.00







CDC400

EXTERNAL DIM. W x D x H: 18^{15} /₃₂" x 25^{1} /₄" x 6^{7} /₈"

INTERIOR DIM. W x D: 18½" x 25"

CAPACITY: 300 lbs.

CASTER TYPE: D

FITS: UPC400, EPP180XLTSW

LIST PRICE EACH: \$ 270.00







CD1420

EXTERNAL DIM. W x D x H: 16¹/₄" x 21³/₄" x 8⁵/₁₆"

INTERIOR DIM. W x D: 131/8" x 195/16"

CAPACITY: 350 lbs.

CASTER TYPE: B

FITS: 100LCD

LIST PRICE EACH: \$397.00







CD2020

EXTERNAL DIM. W x D x H: 22½" x 22½" x 8½"

INTERIOR DIM. W x D: 201/8" x 201/8"

CAPACITY: 300 lbs.

CASTER TYPE: B

FITS: 250LCD, 350LCD, 500LCD, 1000LCD, UC1000

LIST PRICE EACH: \$402.00







CD2028

EXTERNAL DIM. W x D x H: 21% x 30% x 8%

INTERIOR DIM. W x D: $19\frac{1}{2}$ " x $27\frac{7}{8}$ "

CAPACITY: 350 lbs.

CASTER TYPE: B

FITS: 100MPC, UPC100, 300MPC, UPC300, UPC400

LIST PRICE EACH: \$413.00





Camdolly® Colors:

Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401). CDC300 and CDC400 Color: Red (358). CD400 InStock Colors:

Caster Type:

(A) 5" Casters, 2 fixed, 2 swivel, 1 with brake.

Black (110), Dark Brown (131).

- (B) 3" Casters, 4 swivel, no brakes.
- **(C)** 10" Rear Big Wheels, 2 front 5" swivel casters, 1 with brake.
- (D) 4" Casters, 4 swivel 2 with brake.

Optional Accessories



400STP (STRAP)

DIMENSION: 150" Long
LIST PRICE EACH: \$ 29.70

UTHSTP (STRAP)

DIMENSION: 200" long

LIST PRICE EACH: \$ 30.00



1826HAR (LIFTING HARNESS)

DIMENSION: 142" long

LIST PRICE EACH: \$ 138.80



Insulated Beverage Servers

- Use to hold, transport and serve hot or cold beverages for up to
- Pre-heat or pre-chill before use to guarantee maximum operational efficiency.
- Sturdy latches secure lids tightly and will never rust.
- Drip-proof recessed spigot for easy self-serve access.
- Molded-in metal backing plates prevents latches from breaking away from the container.

INSULATED BEVERAGE SERVERS

Insulated Beverage Servers

- Stack units on riser to fill large cups or coffee pots.
- Stack interlocking ensures stable stacking during transport and storage.

UC1000 covered by U.S. Patent D 403,916.













Vent Cap Equalizes pressure. Makes opening the container much easier.







Recessed Faucet Accommodates larger cups. Allows even dispensing and eliminates drips. Two positions: One for continuous pouring and one for individual dispensing.




Molded-in Metal Backing Plates Prevents latches from breaking away from the container.



Stacking options:

- 100LCD with 100LCD
- All 250, 350 and 500 units
- UC1000 and 1000LCD



190°F	186°F	184°F	181°F	179°F
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
33.9°F	34.1°F	34.7°F	35.2°F	35.8°F

Cold — temperature gain averaging 1.5°F/hour.



Ultra Camtainers® Feature wide nylon latches which are easy

to open and close with one hand.



Camtainer Cover

Durable and attractive covers dress up and extend the life of your Camtainers.

Personalization available: \$10.00 net per cover. Contact your Cambro representative for more details. (Models for covers on next page.)



Feature sturdy plastic latches that secure lids tightly and will never rust.

INSULATED BEVERAGE SERVERS



Camtainers®

The standard for many caterers. Four sturdy plastic latches on each unit open and close easily and will never rust.











CODE	100LCD	250LCD	500LCD	1000LCD	350LCD Soup
CAPACITY	1½ gal.	2½ gal.	4¾ gal.	11 3 4 gal.	3¾ gal.
7 OZ. CUPS	27	45	86	214	61
SPIGOT	YES	YES	YES	YES	_
EXTERIOR DIM. W x D x H	103/8" x 111/2" x 171/4"	9" x 16½" x 18¾"	9" x 16½" x 24¼"	161/4" x 203/4" x 243/4"	9" x 16½" x 18¾"
FITS CAMDOLLY®	CD1420	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020
LIST PRICE EACH	\$ 309.00	\$ 322.00	\$ 364.00	\$ 570.00	\$ 314.00
CAMTAINER COVER	_	250LCDCVR: \$ 156.00	500LCDCVR: \$ 156.00	1000LCDCVR: \$ 156.00	_

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Kentucky Green (519), Black (110), Hot Red (158). InStock Colors: Dark Brown (131), Black (110). Cover Color: Black (110). Venting plug is covered by US Patent D 553,717 S.

Ultra Camtainers®

A contemporary line, featuring two wide nylon latches per unit that are easy to open and close.







CODE	UC250	UC500	UC1000
CAPACITY	2¾ gal.	5½ gal.	10½ gal.
7 OZ. CUPS	50	96	192
EXTERIOR DIM. W x D x H	11¾" x 16¾" x 19¾"	11¾" x 16¾" x 26¾"	16¼" x 20½" x 25¾"
FITS CAMDOLLY	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020
LIST PRICE EACH	\$ 380.00	\$ 429.00	\$ 590.00
CAMTAINER COVER	UC250CVR: \$ 156.00	UC500CVR: \$ 156.00	UC1000CVR: \$ 156.00

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Kentucky Green (519), Black (110), Granite Gray (191), Granite Green (192), Granite Sand (194). InStock Colors: Dark Brown (131), Black (110), Granite Gray (191). Venting plug is covered by US Patent D 553,717 S. Cover Color: Black (110).

Camserver®

- A front-of-house beverage server for hot or cold beverages that does not require canned heating.
- Double-wall polyethylene shell with thick foam insulation retains temperatures for hours.



Convenient top-fill opening for fast replenishment without removing lid.

Colors: Black (110), Dark Taupe (417), Granite Gray (191).













Shown in Black.

OVERALL DIMENSIONS LIST CODE $W \times D \times H$ CAPACITY 7 OZ. CUPS PRICE EA. CSR3 $13\frac{1}{4}$ " x $18\frac{1}{4}$ " x $23\frac{1}{2}$ " 3 gal. 54 \$670.00 CSR5 131/4" x 181/4" x 28" 5 91 695.00

Case Pack: 1

BEVERAGE SERVICE CARTS

- Ideal for breakfast, coffee or snack service.
- Use top counter to hold Cambro Beverage Servers, Versa Organizer Bins or Display Trays with Covers for food.
- Store drinkware, additional food items or other supplies in open compartment.
- Insulated cabinets hold hot or cold food in 1/1, 1/2 or 1/3 size food pans or on Cambro Metric Camtrays® (3253).

Colors: Slate Blue (401), Granite Gray (191), Granite Green (192).

See Organizer section for more information on Organizer Bins.

See Beverage Server section for more information.


Wire Rack Color: Silver (000).

6" Casters: 2 fixed, 2 swivel, 1 with brake.





Beverage Service Cart is designed to hold Beverage Containers at point of service only. A dolly or hand truck with safety strap is recommended for moving Beverage Containers over longer distances or uneven surfaces.



The use of racks in the MDC24 and MDC24F carts will allow the following configuration of pans or trays, per compartment:

DESCRIPTION	FULL (1/1)	HALF (1/2)	THIRD (1/3)
2½" Pans	(4) 12CW	(8) 22CW	(12) 32CW
4" Pans	(3) 14CW	(6) 24CW	(9) 34CW
6" Pans	(2) 16CW	(4) 26CW	(6) 36CW
8" Pans	(1) 18CW*	(2) 28CW*	(3) 38CW*
Metric Camtrays®	(10) 3253	_	_

^{*}With room for 2½" or 4" pan above 8" pan.

Compartment Dimensions:

Shelf Compartment:	W 37 ¹⁵ / ₁₆ "	D 251/8"	H 10"
Holding Compartments:	W 17 ⁷ / ₁₆ "	D 233/8"	H 141/8"

Venting plug is covered by U.S. Patent D 553,717S.





has recessed top that holds 3 each 1 gallon Camtainers and stacked Condiment Bins & Wire Rack with 3253 trays.



MDC24R Wire Rack

Wire Rack (sold separately) to organize pans and trays in the cart. Rack holds 1/1, 1/2 and 1/3 size Food Pans and 3253 trays. When placed in cart's holding compartment, the rack allows room on either side for CP3253 Camchillers®.

INSULATED BEVERAGE SERVER ACCESSORIES

Handwash Accessories

- Convenient and economical way to meet health department hand washing requirements on or off premise.
- Attaches to 2.5-gallon (9,5 L) or 5-gallon (19 L) Camtainers® or Ultra Camtainers®.
- Includes four "Handwash Only" labels and an Easy Serve Dispenser lever.

Handwash Accessory Stocking Colors: Dark Brown (131), Black (110).

Easy Serve Dispenser Color: Black (110).

Riser Colors: See optional accessories with Camtainers.

Pail with Bail Color: White (148).

Handwash Accessory is covered by the following U.S. Patents: D 506,634 S, D 506,899 S & D 548, 980 S.









	_	
CODE	HWAPR	HWATD
DESCRIPTION	With paper towel roll holder	With multi-fold paper towel dispenser
FITS	250LCD, 500LCD, UC250, UC500	250LCD, 500LCD, UC250, UC500
LIST PRICE EACH	\$ 369.00	\$ 483.00

Optional Handwash Accessories

CODE	DESCRIPTION	LIST Price ea.
R500LCD	Riser	\$ 131.50
PWB22	Pail with Bail	35.75
LCDES	Easy serve dispenser	25.40

R500LCD, PWB22, LCDES are NSF listed.



Shown with 500LCD Camtainer.

Optional Accessories











CODE	R500LCD	R1000LCD	LCDCH	LCDCH10	LCDES
DESCRIPTION	Riser	Riser	Condiment holder	Condiment holder	Easy serve dispenser
EXTERIOR DIM. W x D x H	9½" x 16½" x 4½"	15%" x 19½" x 4½"	8¾" x 16½" x 5"	16" x 20" x 4 ¹³ / ₁₆ "	
FITS	250LCD, 500LCD, UC250, UC500	1000LCD, UC1000	250LCD, 500LCD, UC250, UC500	1000LCD, UC1000	LCD spigots, UC spigots
LIST PRICE EACH	\$ 131.50	\$ 145.50	\$ 118.50	\$ 174.00	\$ 25.40

Case Pack: 1 Colors: Coffee Beige (157), Dark Brown (131), Black (110). Easy Serve Dispenser Color: Black (110).

MOBILE HANDWASE

Approx.

200

handwashings
per tank

Completely Hands-Free Operation

NO plumbing or electricity to operate.

MHWS18

21.1" x 19" x 63.6" **LIST PRICE EACH:** \$ 2,140.00

MHWS18PER100 (with graphics wrap) LIST PRICE EACH: \$ 2,485.00



MOBILE HANDWASH STATION



3 - IN - 1HANDWASHING STATION

Paper towel and | 5 Gallon Camtainer® with soap dispenser | Easy Serve Dispenser

Riser

HWS31

LIST PRICE EACH: \$880.00





KSC402

40 9/16" x 33" x 45 1/2" **LIST PRICE EACH:** \$ 7,475.00



